



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|--|
| 6492 | Anesthetic implications of laparoscopy surgery in a patient with ventriculoperitoneal shunt | Dr. Bárbara Alves (Viseu, Portugal) |
| 6495 | Total intravenous anaesthesia with remimazolam/remifentanil compared to propofol/remifentanil significantly reduces the incidence of critical hypotension in ASA III to IV patients - First results of a European phase III multicenter trial (CNS7056-022) | Prof. Dr. Joerg Fechner (Erlangen, Germany) |
| 6502 | Release of serum Neurofilament Light (NFL), a specific and sensitive biomarker of neuronal injury, in surgery under general anaesthesia (GA) compared to surgery with Hypno-analgesia (Hyp): A prospective, non-inferiority study. | Dr. Salim Abene (Brussels, Belgium) |
| 6507 | Distribution of intraoperative QTc interval values during general anaesthesia | Dr. Thomas Krönauer (Augsburg, Germany) |
| 6508 | Early quality of recovery and postoperative outcome after surgery under general anaesthesia (GA) compared to surgery with Hypno-analgesia (Hyp): Subanalysis of a prospective study. | Dr. Alexandra Lecompte (Brussels, Belgium) |
| 6509 | Desflurane in Huntington Disease: a case report | Dr. Filipa Portela (Lisboa, Portugal) |
| 6512 | Impact of opioid-free anaesthesia on postoperative nausea, vomiting and pain after gynaecological laparoscopy - a randomised controlled trial | Dr. Christina Massoth (Münster, Germany) |
| 6514 | Carotid Body Paraganglioma – an anesthetic challenge | Dr. Joana Guimarães (Setubal, Portugal) |
| 6528 | Goal-directed vasopressor and fluid management decreased fluid requirements during DIEP flap surgery | Dr. Alain Frédéric Kalmar (Gent, Belgium) |
| 6547 | Effect of tidal volume challenge on reliability of plethysmography variability index in hepatobiliary and pancreatic surgeries | Dr. Yasser Salem Salem (Fayoum, Egypt) |
| 6550 | Remimazolam dose based on ideal body weight can be reduced in patients over 76 years old. | Dr. Hiroshi SAKAMOTO (Sapporo, Japan) |
| 6562 | Combined Spinal Epidural (CSE) for abdominoplasty in a patient with mesial temporal lobe epilepsy(MTLE) with uncontrolled seizures and psychiatric symptoms. | Dr. Gisha Varghese Mathew (Doha, Qatar) |
| 6565 | Morgagni hernia: anesthetic considerations and a opioid-sparing approach | Dr. Diana Guimarães (Evora, Portugal) |
| 6573 | Optimal end expiratory pressure (PEEP) in prone position during spinal surgery. A prospective observational study | Mrs. Uxía Rodríguez Rivas (Barcelona, Spain) |
| 6579 | Effect of cafedrine/theodrenaline (Akrinor™) on the time course of extended haemodynamic variables in anaesthesia-induced hypotension | Ms. Julika Weyland (Oldenburg, Germany) |
| 6580 | Factors associated with delayed onset time of rocuronium in elderly patients | Ms. Pernille Pape (København OE, Denmark) |
| 6624 | Medium-chain acyl-CoA dehydrogenase deficiency (MCADD): The importance of anesthetic approach. | Dr. Joana Tinoco (Setubal, Portugal) |
| 6631 | Converting a 350.000 patients ICU and perioperative database into the OHDSI Common Data Model – The Vienna Experience | Mr. Daniel Laxar (Vienna, Austria) |
| 6634 | Postoperative shivering following sevoflurane and desflurane anesthesia | Dr. nobukuni keiko (Fukuoka, Japan) |
| 6636 | An unusual presentation of Malignant Hyperthermia (MH) | Dr. Eleanor Warwick (LONDON, United Kingdom) |
| 6637 | Influence of propofol versus sevoflurane on surgical conditions during functional endoscopic sinus surgery (FESS) | Dr. Oliver Kerremans (Ghent, Belgium) |
| 6642 | OPIOID-FREE ANESTHESIA GUIDED BY NOL® MONITOR IN BARIATRIC SURGERY. REDUCTION OF POSTOPERATIVE PAIN AND PONV | Dr. Ursula Toral Toral (Alicante, Spain) |
| 6656 | Sevoflurane consumption by individual anaesthetists varies widely during identical procedures despite using the same high-end workstation | Dr. Nele Rita De Bel (Leuven, Belgium) |
| 6677 | Anesthetic Management in Scoliosis Surgery in a Patient with Fontan Circulation | Dr. Ana Lídia Dias (Porto, Portugal) |
| 6679 | Cushing syndrome: a challenge to the anaesthesiologist - A case report | Dr. Tomás Elvas-Leitão (Lisboa, Portugal) |
| 6690 | General Anesthesia for Myotonic Dystrophy Type 1: Setting The Record Straight | Dr. Maria Inês Neri (Lisboa, Portugal) |
| 6697 | Evaluation of a modified TOF-ratio (T4/Tref) to assess recovery from rocuronium-induced neuromuscular block: A simultaneous comparison with the classical TOF-ratio. | Dr. Denis Schmartz (Brussels, Belgium) |
| 6699 | A novel awake mouse urodynamic model including external urethral sphincter electromyography reveals effects of anaesthetics on bladder function | Prof. Dr. Patrick Y. Wuethrich (Bern, Switzerland) |



| | | |
|------|---|--|
| 6701 | Bilateral bispectral index and asymmetries in patients with high risk of postoperative delirium: An observational, prospective, exploratory study | Dr. Edoardo Marra (Bologna, Italy) |
| 6705 | Loss of lung volume during high-flow nasal oxygenation in apneic patients estimated by electrical impedance tomography: a single-center randomized controlled trial | Dr. Thomas Riva (Bern, Switzerland) |
| 6712 | A comparison of methods for artefact detection in vital signs: A retrospective analysis | Dr. Mathias Maleczek (Vienna, Austria) |
| 6724 | The incidence of inadvertent intraoperative hypothermia and its association with blood loss. | Dr. Sebastian Zeiner (Vienna, Austria) |
| 6734 | Does somatostatin influence hepatic blood flow (HBF) during noradrenaline (NOR) infusion. | Dr. Xavier Iturriagoitia Bassas (Gent, Belgium) |
| 6737 | Audit of the compliance and accuracy of the documentation of disposal of unused controlled drugs in the operating theatre at a major tertiary referral teaching hospital in Melbourne, Australia. | Dr. Andrew Talman (Heidelberg, Australia) |
| 6752 | Anterolateral thigh flap for total esophageal reconstruction: anesthetic approach case report | Dr. João Maria Caldeira Ribeiro Nunes (Lisboa, Portugal) |
| 6754 | The effect of premedication on hypnosis management of total intravenous anaesthesia. A randomized controlled trial | Dr. Igor Seror Cuiabano (Cuiaba, Brazil) |
| 6759 | Mortality and cardiovascular complications after laparoscopic versus open abdominal surgery. Preliminary results. | Mrs. Sandra Beltrán de Heredia (Barcelona, Spain) |
| 6782 | Anaesthesia Management of a Patient with Pneumonectomy Undergoing Robotic Bilateral Adrenalectomy: A Case Report | Dr. Murat Tümer (Ankara, Turkey) |
| 6792 | The impact of low-opioid anaesthesia on post-operative pain after laparoscopic cholecystectomy | Dr. Ewa Komorowska-Wojtunik (Bialystok, Poland) |
| 6807 | Postoperative intracranial haematoma secondary to an intracranial hypotensive syndrome after lumbar spinal surgery: about one case. | Dr. Nicolas Brogly (Madrid, Spain) |
| 6817 | Cardiorespiratory arrest secondary to anaphylactic shock by sugammadex. Can we prevent it? | Dr. Natalia Meschini (Madrid, Spain) |
| 6821 | Co-analgesics and opioid-sparing effect in parathyroid surgery | Dr. Sergii Tarasenko (Kyiv, Ukraine) |
| 6828 | Is there an optimal moment to determine Quality of Recovery-15 score after total hip and knee replacement surgery? | Dr. Julien Smolders (Leuven, Belgium) |
| 6830 | Postoperative outcomes in patients undergoing elective vascular surgery, randomized to air or = 50% oxygen perioperatively | Dr. Arman Valadkhani (Stockholm, Sweden) |
| 6835 | Relationship between preoperative glycated hemoglobin (HbA1c) with short and long-term outcomes after elective non-cardiac surgery. | Mrs. Maria Nunez (Barcelona, Spain) |
| 6852 | Intrathecal opioids plus abdominal wall nerve blocks for paracaval paraganglioma resection: a case report | Dr. Dimitrios Maliamanis (Nicosia, Cyprus) |
| 6855 | Two different approaches to management of patient with Pulmonary Hypertension - case report | Dr. Mariana Vaz Gomes (Coimbra, Portugal) |
| 6856 | Transpulmonary thermodilution hemodynamic monitoring for giant paraganglioma displacing the aorta and inferior vena cava: a case report | Dr. Mariana Vaz Gomes (Coimbra, Portugal) |
| 6859 | Submental intubation for airway management in maxillofacial fracture: a case report | Dr. Mariana Vaz Gomes (Coimbra, Portugal) |
| 6879 | Perioperative management of midline catheters in major head and neck cancer surgical patients: a retrospective clinical study | Dr. Thomas Saitta (Firenze, Italy) |
| 6888 | Intravenous lipid emulsions do not enhance recovery from ventricular repolarization disturbances induced by ropivacaine | Ms. Lucía Rodríguez-Rodríguez (Madrid, Spain) |
| 6891 | Is a peripherally inserted central catheter as useful as a central venous catheter for anesthetic management? "Comparison of flow rate and intra-circuit pressure relationship" | Dr. Tomoko Ide (Fukuoka, Japan) |
| 6899 | Extremely low potential of drug-drug interactions of remimazolam via carboxylesterase 1: in vitro studies and a systematic review | Prof. Dr. Karl-Uwe Petersen (Aachen, Germany) |
| 6902 | Effect of noradrenaline on hepatic blood flow: a prospective observational trial | Dr. Marilie Verougstraete (Gent, Belgium) |
| 6908 | Drug-drug interaction potential of remimazolam: No relevant interactions via cytochrome P450 isoforms, drug transporters, and protein binding in vitro | Prof. Dr. Karl-Uwe Petersen (Aachen, Germany) |
| 6909 | Pharmacokinetics of Remimazolam: pre-dominance of metabolic elimination by carboxylesterase I with negligible roles of alternative pathways | Dr. Wolfgang Schmalix (Aachen, Germany) |



| | | |
|------|---|---|
| 6913 | Key points in the anesthetic management of simultaneous liver-kidney transplantation. | Dr. Iñigo Rubio Baines (Pamplona, Spain) |
| 6923 | Quality improvement program to reduce Postoperative Residual Curarisation: impact on reversal use over a 4-years period. | Dr. Massimiliano Greco (Milan, Italy) |
| 6941 | Laparoscopic cholecystectomy in patient with Wolff-Parkinson White syndrome: don't wake the beast! - A case report | Dr. Daniel Vieira (Coimbra, Portugal) |
| 6947 | Fabry Disease (FD) and Its Anesthetic Challenges: Approach of a Not So Rare Multisystemic Disease in an Urgent Setting | Dr. Maria Inês Neri (Lisboa, Portugal) |
| 6949 | Baseline estimated glomerular filtration rate (eGFR) as a predictor of MINS and mortality in non-cardiac surgery. Analysis of MINSMAR database. | Dr. Lorena Román Rosa (Barcelona, Spain) |
| 6955 | Predicting personalised remifentanyl effect site concentration for surgical incision with a nociception level index: a prospective calibration and validation study | Dr. Laurent Perrin (Brussels, Belgium) |
| 6987 | Comparison of analgesic efficacy of varieties of multimodal anesthesia in renal laparoscopic surgery | Dr. Tetiana Ovsienko (Kiev, Ukraine) |
| 6999 | Comparative Study of Oral Melatonin, Pregabalin, and Clonidine as Premedication for the attenuation of haemodynamic response to laryngoscopy and tracheal intubation—A prospective randomised double blind study | Dr. Viorel Gherghina (CONSTANTA, Romania) |
| 7010 | Local anesthetics: novel anticancer agents to control residual cancer cells during oncological surgery | Dr. Lucillia Bezu (Villejuif, France) |
| 7015 | Effect of preinduction low-dose ketamine bolus on intra-operative opioid requirements during Nociception Level Index-guided antinociception : A randomised controlled trial | Dr. Viorel Gherghina (CONSTANTA, Romania) |
| 7024 | Audit of plastic waste generated by anesthetic practice in the operating room of a burn unit | Mr. Fernando Suels (Barcelona, Spain) |
| 7025 | Bubble struggle - Subcutaneous emphysema in a hiatal hernia repair | Dr. Adriana Santos (Bom-Vento, Portugal) |
| 7039 | Anaesthesiology and the patient's perception | Dr. Joao Bezerra de Lima Novo (Porto, Portugal) |
| 7049 | Prediction of sensory blockade of spinal anesthesia via machine learning approach – a preliminary study | Dr. Hung-Wei Cheng (Taipei City, Taiwan) |
| 7052 | Preoperative evaluation for elective ICU admission in a limited resources environment. A pilot study. | Dr. Dimitrios Zafeiriadis (Thessaloniki, Greece) |
| 7087 | Dexmedetomidine as a component of anesthesiological support of laparoscopic abdominal surgery. | Dr. Roman Sukhonos (Odessa, Ukraine) |
| 7103 | Risk stratification in Bariatric Surgery: Time to re-assess the value of ASA grade linked to BMI? | Dr. Thomas Gill (Chichester, United Kingdom) |
| 7106 | Cardiac arrest after Sevoflurane-Alfentanil induction in a patient with epileptic encephalopathy treated by lacosamide | Dr. Romain Hubert (Lausanne, Switzerland) |
| 7124 | Mortality amongst patients undergoing Bariatric Surgery: The relative power of ASA status, BMI, Weight, Age and Gender as predictors of 30-day Outcome | Dr. Thomas Gill (Chichester, United Kingdom) |
| 7134 | Bilateral palsy of hypoglossal (XII) nerve following general anaesthesia for emergency surgery | Dr. Kassiani Theodoraki (Athens, Greece) |
| 7153 | Association of perioperative inspiratory oxygen fraction and cancer-free survival after elective cancer surgery | Ms. Verena Spang (Heidelberg, Germany) |
| 7155 | Use of rotational thromboelastometry (ROTEM) to assess the coagulation phenotype and the need for tranexamic acid administration in polytrauma patients undergoing delayed major orthopaedic surgery: A case series study | Dr. Eleni Diamantaki (Heraklion, Greece) |
| 7160 | In 25 degrees backup position,glottic view becomes easier as compared to supine sniffing position. | Dr. Muhammad Arslan (Drogheda, Ireland) |
| 7176 | Effects of an "Individualised Open Lung Approach" (iOLA) on the right ventricular function in obese patients with severe obstructive sleep apnoea syndrome undergoing bariatric surgery. | Dr. María Elena Del Río Morales (Barcelona, Spain) |
| 7212 | Pleth Variability Index guided volume optimization in major gynecologic surgery: a prospective randomized controlled study | Prof. Dr. Ayten Saracoglu (Pendik- Istanbul, Turkey) |
| 7214 | Effect of direct laryngoscopy on optic nerve sheath diameter/ eyeball transvers diameter index | Dr. Başak Akça (ANKARA, Turkey) |
| 7224 | Kearns-Sayre Syndrome – Anaesthetic management of a patient with a rare mitochondriopathy – case report | Dr. Rita Santos Pinheiro (Povos, Vila Franca de Xira, Portugal) |
| 7227 | Osteogenesis Imperfecta – Neuraxial anaesthesia and challenges | Dr. Rita Santos Pinheiro (Povos, Vila Franca de Xira, Portugal) |



| | | |
|------|--|--|
| 7287 | Use of dexmedetomidine as an anaesthetic adjunct in hepatectomy: a systematic review | Dr. Rex Wan Hin Hui (Hong Kong, Hong Kong SAR China) |
| 7288 | Anesthetic management of a patient with Takotsubo syndrome undergoing hip fracture repair | Mrs. Maria Diakomi (Athens, Greece) |
| 7294 | Sugammadex versus neostigmine for recovery of respiratory muscle strength measured by ultrasonography in the immediate postoperative period: a randomised controlled trial | Dr. Chanyan Huang (Guangzhou, China) |
| 7300 | Perioperative anesthetic management for paravertebral hydatid cyst: a case report | Dr. Vanessa Pires (Lisboa, Portugal) |
| 7307 | Perioperative dexmedetomidine infusion for managing thyroid storm in a pediatric hyperthyroid patient for total thyroidectomy: a case report | Dr. Jacklyn Infante (Manila, Philippines) |
| 7308 | Preemptive versus preventive antiemetic treatment in patients undergoing laparoscopic cholecystectomy: a randomized, double blind study | Ms. Polyxeni Theodosopoulou (Athens, Greece) |
| 7318 | Prospective Perioperative study Evaluating Routine Coagulation versus Thrombelastography for Liver resections (More Than Three Segments) (PORTAL Trial) | Dr. Vignesh Baskar (MUMBAI, India) |
| 7354 | Anesthetic Impications in a Patient with diagnosed TPM2 Myopathy. | Dr. Muhammad Arslan (Dublin, Ireland) |
| 7364 | Reducing the impact of desflurane on our environment. | Dr. Andrew Skinner (London, United Kingdom) |
| 7367 | A machine-learning algorithm as a tool to reduce intraoperative hypotension: a prospective cohort study | Ms. Ilonka de Keijzer (Groningen, Netherlands) |
| 7376 | A Prospective, Randomized, double blinded study on effect of Perioperative Intravenous Lignocaine Infusion on Haemodynamic Responses and postoperative Analgesia in Laparoscopic Cholecystectomy Surgeries | Dr. Srikanth Gujja (Ahmedabad, India) |
| 7377 | Intraoperative hyperglycaemia during CRS-HIPEC surgery is associated with kidney function impairment. A retrospective cohorts study | Dr. Tomeu Ramis (Barcelona, Spain) |
| 7391 | Prevalence of cholinesterase deficiency in the general population. Is it really so infrequent? A unicentric observational study with 11258 samples. | Dr. Maria Teresa Tijero Paramo (Madrid, Spain) |
| 7402 | Feasibility and safety of general anaesthesia versus sedation in endoscopic submucosal dissection: A systematic review and meta-analysis | Dr. Rex Wan Hin Hui (Hong Kong, Hong Kong SAR China) |
| 7410 | Gastric insufflation evaluation by ultrasound during high-flow nasal oxygen (HFNO) for general anesthesia induction. | Dr. Alexandre George (Liege, Belgium) |
| 7425 | Hepatic hydatid cyst excision via robotic surgery – A case report | Dr. Filipe André Da Silva Pereira (Lisboa, Portugal) |
| 7432 | Analgesia Nociception Index to verify an epidural block in a patient addicted to opioids. Case Report. | Dr. Adriana Carolina Orozco Vinasco (Leganes, Spain) |
| 7434 | Continuous responsible improvement of safe surgery checklist compliance by repetitive data analysis and communication of results | Dr. Pieter De Groof (Dendermonde, Belgium) |
| 7435 | Challenges in the anaesthetic management of desminopathy – a case report | Dr. Maria Beatriz H. Maio (Lisboa, Portugal) |
| 7446 | The Effect of Anesthetic Agents Used in Liver Transplant Donor Patients on Graft Results | Prof. Dr. Ayten Saracoglu (Istanbul, Turkey) |
| 7448 | Effect of the evaluation of perfusion with Infrared Fluorescent Angiography on flap survival in head and neck free flap reconstruction” | Prof. Dr. Ayten Saracoglu (Istanbul, Turkey) |
| 7454 | Anesthesia for hepatobiliary robotic surgery - experience from a Spanish tertiary academic centre | Mrs. Isabel Lopez Garcia (Córdoba, Spain) |
| 7465 | Spinal cord injury – what should we do? | Dr. Flávia Duarte (Almada, Portugal) |
| 7468 | Anesthetic management for total thyroidectomy in patient with amiodarone-induced thyrotoxicosis prior to heart transplantation | Dr. Ana Silva (Porto, Portugal) |
| 7473 | Ventilation and hemodynamic changes during robotic-assisted pelvic surgery | Dr. Nikita Zdorik (Ufa, Russia) |
| 7480 | The high incidence of postoperative fatigue after gynaecological surgery (Return-II study) | Dr. Fangbo Ge (Melbourne, Australia) |
| 7507 | Remifentanyl-based anaesthetic techniques in bariatric surgery are associated with increased anti-emetic usage | Dr. Kanish Amin (Chichester, United Kingdom) |



| | | |
|------|---|--|
| 7515 | Propofol versus etomidate for Electroconvulsive Therapy; a systematic review | Mrs. Vivian Ward - van der Stam (Amsterdam, Netherlands) |
| 7517 | Incidence of fatal intracardiac thrombosis during liver transplantation | Ms. Marie-Anne Heukels (Groningen, Netherlands) |
| 7534 | QRS alterations related to postoperative pain | Dr. Filipa Cunha (Viseu, Portugal) |
| 7547 | Bilateral vocal cord paralysis after anterior cervical spine surgery: a case report | Dr. Acácia Silva (Penafiel, Portugal) |
| 7559 | SOFT PALATE PERFORATION AND GLIDESCOPE VIDEOLARYNGOSCOPE: CASE REPORT | Dr. Noemí Garrigós (Valencia, Spain) |
| 7563 | Trends in the use of neuromuscular blocking agents, reversal agents and neuromuscular transmission monitoring: a single center retrospective cohort study. | Mr. Piet Krijtenburg (Nijmegen, Netherlands) |
| 7570 | Pneumorrhachis after thoracic epidural – case report | Dr. Leonor Gomes (Leiria, Portugal) |
| 7583 | Anaesthetic Management of Endoscopic Ultrasound-guided Ethanol Injection for Pancreatic Insulinoma. | Dr. Leonor Gomes (Leiria, Portugal) |
| 7592 | Validation of the qNox Nociception Index for monitoring responsiveness of isolated forearm technique during endotracheal intubation | Dr. Yodying Punjasawadwong (Chiang Mai, Thailand) |
| 7595 | Giant ovarian tumor (35 Kg) in the aftermath of a Pandemic: anesthetic challenge | Dr. Inês Dinis (Viseu, Portugal) |
| 7619 | Perioperative anesthetic considerations for Fabry disease during emergency surgery | Ms. Ana Ricart Hernandez (Girona, Spain) |
| 7620 | Using fronto-occipital electroencephalogram (EEG)-differences as gauged by “Reduced alpha-beta- power”-algorithm to assess hypnotic states during general anaesthesia (GA), a retrospective study | Mr. Eloy Fehrlin (Bern, Switzerland) |
| 7623 | Perioperative stroke: A clinical case | Dr. Marco Rafael Basílio Dinis (Lisbon, Portugal) |
| 7634 | Septic pulmonary embolism as a complication after a total hip arthroplasty revision. Case report. | Ms. Adriana Carolina Orozco Vinasco (Madrid, Spain) |
| 7638 | Evaluation of an enhanced cloud-based muscle action potential detection algorithm used by an electromyography-based neuromuscular monitor. | Mr. Fredrik Norrby (Uppsala, Sweden) |
| 7648 | Opioid free anesthesia in elderly patients scheduled for laparoscopic cholecystectomy: Case series | Dr. Marija Toleska (Skopje, Republic of North Macedonia) |
| 7649 | Non - opioid anaesthesia for perioperative use in a patient with a colorectal carcinoma without the use of an epidural nor locoregional blocks – a case report | Dr. Aleksandra Panoska (Skopje, Republic of North Macedonia) |
| 7663 | Haemoglobin Köln and falsely low peripheral oxygen saturations: a case report | Dr. Pedro Marques (Coimbra, Portugal) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6484 | Evaluation of pain and patient satisfaction at 24h after ambulatory anorectal surgery. The experience of a day-case center in Portugal. | Dr. Cláudia Pereira (Porto, Portugal) |
| 6755 | Cardiac Arrest In Ambulatory Setting: How Can We Prevent It! | Dr. Luís Montenegro (Almada, Portugal) |
| 6907 | Respiratory Complications during the Recovery from Gastrointestinal Endoscopies Performed by Gastroenterologists under Moderate Sedation | Dr. Inna Pozin-Eidelman (Ramat Gan, Israel) |
| 6916 | Adverse Events of Special Interest Analysis of Remimazolam, Midazolam and Placebo in Phase III Clinical Trials in Procedural Sedation | Dr. Thomas Stoehr (Aachen, Germany) |
| 6977 | Transnasal Humidified Rapid Insufflation Ventilatory Exchange (THRIVE) for operative hysteroscopy under general anesthesia: an observational study. | Dr. Francesco Vassalli (Rome, Italy) |
| 7063 | Efficacy of remimazolam versus midazolam for procedural sedation: post hoc integrated analyses of three Phase 3 clinical trials | Dr. Frank Schippers (Brühl, Germany) |
| 7073 | Subarachnoid anesthesia with prilocaine in Ambulatory Surgery | Dr. Marisa Barros (Porto, Portugal) |
| 7080 | Myasthenic crisis in a patient under general anesthesia for ambulatory magnetic resonance imaging | Dr. Joao Saldanha Marques (Porto, Portugal) |
| 7136 | Ambulatory surgery and the patient's perspective | Dr. Joao Bezerra de Lima Novo (Porto, Portugal) |
| 7218 | Outpatient surgery is not always smooth: a case of anaphylaxis. | Dr. Rita Arantes (Braga, Portugal) |
| 7252 | Liposomal bupivacaine evaluation in patients undergoing hemorrhoidectomy: A retrospective cohort study | Dr. Paul Mongan (Jacksonville, United States) |
| 7647 | Spinal anesthesia for outpatient endoscopic spine surgery: a case report | Dr. Ana Rita Aguiar (Senhora da Hora, Portugal) |
| 7672 | Anaesthesia for carpal tunnel release in outpatient surgery - a retrospective study | Dr. André Filipe Pombo (Porto, Portugal) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|--|--|
| 6510 | Current trends of regional anesthesia use in Greece and the impact of a structured regional anesthesia course on regional techniques knowledge and application | Dr. Kassiani Theodoraki (Athens, Greece) |
| 6531 | Effect of supra-inguinal fascia iliaca compartment block on postoperative pain and opioid consumption in total hip arthroplasty by posterolateral approach: preliminary results | Dr. Michele Carella (Liège, Belgium) |
| 6534 | Association between erector spinae plane block and opioid sparing in adolescent scoliosis surgery: retrospective cohort study. | Dr. María José Somaglia (CABA, Argentina) |
| 6540 | Epidural blood patch as a treatment modality for spontaneous intracranial hypotension. A case series | Dr. Kassiani Theodoraki (Athens, Greece) |
| 6603 | Temporary meningeal symptoms after epidural blood patch. | Dr. Evgeny Oreshnikov (Cheboksary, Russia) |
| 6648 | Routine intraoperative heparinization during cementation in patients with an intracapsular hip fracture does not reduce the risk of thromboembolic events: a case control study. | Dr. Agustina Castro Lalin (CABA, Argentina) |
| 6661 | Against all odds: epidural haematoma in a minor hepatic metastasectomy | Dr. Sofia Pereira (Funchal (Madeira), Portugal) |
| 6663 | Anaesthetic approach of a patient with Myasthenia Gravis and polytrauma undergoing spinopelvic reduction and fixation | Dr. Ana Patrícia Pereira (Vila Real, Portugal) |
| 6730 | Efficacy of Ultrasound-Guided Rhomboid Intercostal Block (RIB) on Perioperative Analgesia in Male Patients Undergoing Combined Power Assisted Liposuction with Pull-Through Excision of Gland for Breast Reshaping and Definition: A Randomized Controlled Trial | Dr. Amr Wahdan (cairo, Egypt) |
| 6731 | Evaluation of Magnesium Sulphate in Combination with Dexmedetomidine as Adjuvants to Levobupivacaine in Ultrasound-Guided Spermatic Cord Block: A Randomised Controlled Trial | Dr. Amr Wahdan (cairo, Egypt) |
| 6760 | Regional nerve blocks versus neuraxial anesthesia techniques for Lower Limb Peripheral Vascular Surgery at high-risk patients. | Dr. Anna Masoodi (Kyiv, Ukraine) |
| 6795 | Magnesium sulfate as an adjuvant to bupivacaine in ultrasound-guided supraclavicular brachial plexus block: a randomized, double-blinded clinical trial | Mr. Natanael Pietroski dos Santos (Santo Andre, Brazil) |
| 6840 | Damage control in the frail orthopedic elderly patient: case report | Dr. Ana Martínez Domingo (Girona, Spain) |
| 6877 | Effectiveness of ultrasound-guided obturator nerve interfascial block with an inguinal approach during transurethral resection of bladder tumour: a prospective randomized double-blinded clinical trial | Dr. Ana Pardo (Barcelona, Spain) |
| 6890 | Transmuscular quadratus lumborum block does not provide any benefit for primary hip arthroscopy | Dr. Arthur Hertling (New York, United States) |
| 6905 | Does the timing of intravenous prophylactic infusion of granisetron improve hemodynamic profile during spinal anesthesia in elective lower-abdominal surgery? | Dr. Iulia Cindea (Constanta, Romania) |
| 6914 | Continuous Spinal Anesthesia, an option to general anesthesia in a patient with severe Obstructive Sleep Apnea, undergoing open appendicectomy – a case report | Ms. Diana Roriz (Vila Real, Portugal) |
| 6960 | Retrospective review of assessment and documentation of epidural monitoring of patients in Intensive Care and if this aligns with national guidelines | Dr. Shaida Khodatars (London, United Kingdom) |
| 6979 | Erector spinae plane block for the management of scapular surgery pain: a case report | Dr. Cláudia Dias (Lisbon, Portugal) |
| 7029 | Ultrasound-guided genicular nerve block for knee arthroplasty. A randomized clinical trial. | Dr. Irene Tatjer Hernanz (Barcelona, Spain) |
| 7061 | Is regional anesthesia an adequate option to perform a renal transplantation in a patient with pulmonary Aspergilloma? | Dr. Carmen Cara Gilabert (Pamplona, Spain) |
| 7086 | Pneumothorax after thoracic epidural – a rare complication | Dr. Daniel Rodrigues (Porto, Portugal) |
| 7098 | The importance of systematic verification on drug preparation and administration: the swiss cheese model | Dr. Catarina Isabel Mora Cruz Freitas Ferreira (Porto, Portugal) |
| 7111 | A prospective randomized controlled trial to compare the efficacy and safety of different doses of clonidine when used as an adjuvant to intrathecal bupivacaine | Dr. Prajwala Shankara Kaushik (Mumbai, India) |



| | | |
|------|---|--|
| 7152 | Analgesia in kidney transplantation: efficacy of two anesthetic techniques | Dr. Agustina Castro Lalin (CABA, Argentina) |
| 7164 | The contribution of Erector Spinae Plane Block in achieving perioperative multi-modal analgesia to patients undergoing Laparoscopic Colectomy | Ms. Freideriki Sifaki (Thessaloniki, Greece) |
| 7189 | Awake thoracic epidural anesthesia for laparotomic gastrectomy: a successful experience | Dr. Paula Rebelo (Matosinhos, Portugal) |
| 7228 | Blind lumbar epidural blood patch for spontaneous intracranial hypotension: a case report. | Dr. Carla Ferreira (Braga, Portugal) |
| 7232 | Low dose levobupivacaine continuous wound infusion versus thoracic epidural in open abdominal surgery | Mr. Guillermo Hita (Alcorcon, Spain) |
| 7268 | Combination of Pectoral blocks type 1 and type 2 as a part of a multimodal analgesia plan in obese women undergoing total mastectomy | Ms. Viktoriia Yevsieieva (Kyiv, Ukraine) |
| 7283 | The use of magnesium as an adjuvant in brachial plexus blocks: A systematic review and meta-analysis | Dr. Maria Tsoutsou (Liverpool, United Kingdom) |
| 7295 | The impact of regional anaesthetic techniques on pain scores and opioid use in patients undergoing an elective laparoscopic bowel resection | Dr. Morwenna Read (Rotherham, United Kingdom) |
| 7296 | Length of stay in patients undergoing elective laparoscopic bowel resection with different types of regional anaesthesia | Dr. Morwenna Read (Rotherham, United Kingdom) |
| 7297 | Ultrasound-guided genicular nerve block for anterior cruciate ligament reconstruction surgery: a case series | Dr. Sofia Carvalho (Loures, Portugal) |
| 7305 | Does emergent arterial bypass surgery hinder regional analgesia? | Dr. Fábio Oliveira Costa (Braga, Portugal) |
| 7327 | Bilateral Erector spinae plane block as a component of anesthesia for transforaminal percutaneous endoscopic discectomy: the prospective randomised control trial | Dr. Maksym Barsa (Rivne, Ukraine) |
| 7356 | Comparison of the Intraoperative and Postoperative Effects of Erector Spinae Plane Block and Rectus Sheath Block | Prof. Dr. Hülya Bilgin (Bursa, Turkey) |
| 7375 | EFFECTS OF ULTRASOUND-GUIDED ADDUCTOR CANAL BLOCK VERSUS FEMORAL NERVE BLOCK ON QUADRICEPS MUSCLE STRENGTH AND POST OPERATIVE PAIN IN THE PATIENTS UNDERGOING UNILATERAL TOTAL KNEE REPLACEMENT SURGERY | Dr. Srikanth Gujja (Ahmedabad, India) |
| 7393 | Utilization of a neuronal stem cell model for peripheral regional anaesthesia research: A case study of lidocaine | Mr. Pascal S. H. Smulders (Amsterdam, Netherlands) |
| 7427 | Comparison of neuraxial acoustic window in Hamstring Stretch Position (HSP) and Cross Legged Position (CLP): an Observational Study | Dr. Manbir Kaur (Jodhpur, India) |
| 7431 | Continuous Erector spinae plane block for post operative analgesia in Renal Transplantation : A case series | Dr. Padmini Vishwanath (Bangalore, India) |
| 7455 | Pneumocephalus Following Combined Spinal Epidural Anesthesia for Hip Replacement Surgery. A Case Report and Review of the Literature. | Dr. Marjeta Bilaj-Miraka (Tirana, Albania) |
| 7457 | Transcutaneous electrical nerve inhibition using medium-frequency alternating current | Dr. Elisabeth Venmans (Hasselt, Belgium) |
| 7467 | When you least expect, spinal subarachnoid hematoma after spinal anaesthesia: A case report. | Dr. Ana Patrícia Lima (Porto, Portugal) |
| 7486 | Comparison of mid point transverse process to pleura (MTP) block and erector spinae plane block (ESP) for post operative pain in modified radical mastectomy patients: A double blinded randomized trial | Dr. Priyanka Sethi (Jodhpur, India) |
| 7487 | Impact of tunneling on bacterial colonization of epidural catheter tip. | Dr. VIVEKANAND - (PATNA, India) |
| 7503 | comparison of ropivacaine alone versus dexmedetomidine or ketamine as an adjuvant to ropivacaine in pectoral nerve block type II among patients undergoing breast surgeries: A randomized double blind controlled trial | Dr. DHARANI LENIN (patna, India) |
| 7506 | Pupillary pain index predicts postoperative pain, but not the effect of regional anaesthesia: an observational study | Dr. Marcus Thudium (Bonn, Germany) |
| 7518 | iPACK combined with adductor canal block as a safe adjunct to perioperative pain management in patients with severe hemophilia A undergoing total knee arthroplasty: a case report | Dr. André Rodrigues (Coimbra, Portugal) |
| 7529 | To evaluate the efficacy and safety of continuous transmuscular quadratus lumborum block for postoperative analgesia after laparoscopic nephrectomy – A prospective randomized clinical trial | Dr. KAMLESH KUMARI (Jodhpur, India) |
| 7548 | Comparison of Spinal Needle Placement Between Traditional Sitting Position and Squatting Position in Cesarean Section | Dr. Sarah Shiba (Erbil, Iraq) |

OBSTETRIC ANAESTHESIOLOGY



| | | |
|------|--|--|
| 7550 | The efficacy and safety of magnesium sulphate as an adjuvant to 0.375% ropivacaine in PECS II block for unilateral breast surgery; A randomised controlled trial | Dr. Huda Zainal Abidin (Kota Bharu, Malaysia) |
| 7561 | How clean is your ultrasound probe? A survey of hospitals within the South East London anaesthesia training programme. | Dr. Bernadette Nzekwu (London, United Kingdom) |
| 7564 | When it comes to neurologic complications in the context of neuraxial anesthesia, not everything is as it seems | Dr. Daniel José Rodrigues Roque Dos Santos (Amadora, Portugal) |
| 7625 | Myotonic dystrophy: the multisystemic disease, the multidisciplinary approach and the multimodal anesthetic strategy | Dr. Guilherme Sousa (Viseu, Portugal) |
| 7644 | Opioid free anesthesia and bilateral transversus abdominis plane block for major abdominal surgery: Case series | Dr. Marija Toleska (Skopje, Republic of North Macedonia) |
| 7657 | BRILMA and PEC blocks as main anesthetic technique for breast cancer surgery in a high-risk patient | Dr. Aleksandar Dimitrovski (Skopje, Republic of North Macedonia) |
| 7658 | Anesthesia management of an ALS patient: fascia blocks - the road to follow? | Dr. Daniela Simões (Aveiro, Portugal) |
| 7661 | Local Anesthetic Systemic Toxicity (LAST) after brachial plexus block in patient with left bundle branch block | Dr. Luís Pedro (Porto, Portugal) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|--|
| 6474 | Pregnancy blindness and eclampsia: not always a stroke | Dr. Isabel Lopez Herrera (Madrid, Spain) |
| 6498 | Immune thrombocytopenia and labour: when thrombocytopenia is refractory | Dr. Ana Isabel Gonçalves Pereira (Funchal, Portugal) |
| 6519 | Virtual Reality Hypnosis for Labor Pain Relief: The VRH4L study, A prospective interventional randomized controlled trial evaluating the impact of Virtual Reality Hypnosis during Labor Induction. | Dr. Louise Piccart (Leuven, Belgium) |
| 6539 | An express method for early diagnosis of pre-eclampsia | Dr. Elena Plakhotina (Vidnoe Moscow reg, Russia) |
| 6541 | Efficacy of volumetric preoperative autoplasmia donation in the surgical treatment of PAS-disorders | Dr. Elena Plakhotina (Vidnoe Moscow reg, Russia) |
| 6552 | The effects of maternal blood pressure management with noradrenaline during general anaesthesia for non-obstetric surgery on foetal brain development in the rabbit model | Dr. Tom Bleeser (Leuven, Belgium) |
| 6553 | Pulmonary arterial hypertension (PAH) during pregnancy – an anaesthetic challenge | Dr. João Maria Caldeira Ribeiro Nunes (Lisboa, Portugal) |
| 6555 | Thromboelastography as a safety criterion for regional anesthesia in patients with gestational thrombocytopenia | Dr. Elena Plakhotina (Vidnoe Moscow reg, Russia) |
| 6556 | Pneumocephalus, subdural hygroma and hematoma complicating an unintentional dural puncture during labor | Dr. Andrea Kollmann Camaiora (Uppsala, Sweden) |
| 6584 | NON-INVASIVE HEMODYNAMIC MONITORING DURING CAESAREAN DELIVERY: INCIDENCE OF PERIOPERATIVE MATERNAL HYPOTENSION AND IMPACT ON NEONATAL WELL-BEING. | Dr. Stefano Tigano (Catania, Italy) |
| 6602 | Specific features of spinal anesthesia during cesarean section with severe COVID-19 pneumonia | Dr. Evgeny Oreshnikov (Cheboksary, Russia) |
| 6640 | Repeating an epidural blood patch for a recurring postdural puncture headache: a case report | Dr. Nelson Gomes (Santa Maria da Feira, Portugal) |
| 6646 | Does dural puncture epidural improve quality of labor epidural analgesia? Randomized single-blinded controlled study | Dr. Iva Pazur (Zagreb, Croatia) |
| 6653 | Impact of preoperative oral rehydration on the incidence of maternal hypotension after spinal anaesthesia for cesarean section | Dr. Romain Butori (Brussels, Belgium) |
| 6654 | Successful Neuraxial Block for a Caesarean Section in a Parturient with Goldenhar Syndrome: First Report | Dr. Samuel Greenhalgh (London, United Kingdom) |
| 6693 | Quality improvement project on thromboprophylaxis following LSCS patients in Scunthorpe General Hospital | Dr. Chaw Nandar (Scunthorpe, United Kingdom) |
| 6742 | Suicide attempt with Ammonium Hydroxide during pregnancy: a case report | Mr. Nicolas Brogly (Madrid, Spain) |
| 6744 | Postpartum posterior reversible encephalopathy syndrome: A change in the post dural puncture headache pattern. | Dr. Fábio Costa (Braga, Portugal) |
| 6777 | Epidural Analgesia for Labor: Comparing the Effects of Continuous Epidural Infusion (CEI) and Programmed Intermittent Epidural Bolus (PIEB) on Obstetric Outcomes | Prof. Alexander Ioscovich (Jerusalem, Israel) |
| 6781 | Labouring patients with covid-19: did we improve patient care between first and second wave? Survey of quality and satisfaction in a tertiary university hospital. | Dr. Nicolas Brogly (Madrid, Spain) |
| 6784 | Implementing Quality-of-Recovery Questionnaire after Caesarean Section -A feasibility pilot study. | Dr. Kim Lindelof (Copenhagen East, Denmark) |
| 6896 | Prospective observational study to investigate the relationship between sonographic inferior vena cava (IVC) diameter and spinal hypotension in elective cesarean delivery | Dr. Chaim Greenberger (Tel Aviv, Israel) |
| 6942 | When Delivery Doesn't Solve It All: A Case Report to Highlight the Postoperative Management of HELLP Syndrome | Dr. Maria Inês Neri (Lisboa, Portugal) |
| 6971 | Elective caesarian section in sickle cell disease - A case report | Dr. João Novo (Porto, Portugal) |
| 7041 | Caesarean section in a patient with portal cavernomatosis. Anaesthetic pearls. | Dr. Natalia Meschini (Madrid, Spain) |
| 7058 | Elimination of remimazolam from the milk of intravenously infused lactating sheep is fast and its oral bioavailability in suckling lambs negligible | Dr. Marija PESIC (Aachen, Germany) |



| | | |
|------|---|--|
| 7077 | Multiple acyl-CoA dehydrogenase deficiency and obstetric anaesthesia: a case report | Dr. Adriana Carolina Orozco Vinasco (Leganes, Spain) |
| 7081 | Neurocardiogenic syncope type 2B, an obstetric case report | Dr. Andrea Kollmann Camaiora (Uppsala, Sweden) |
| 7132 | PHEOCHROMOCYTOMA AND C-SECTION - IS REGIONAL ANAESTHESIA THE SOLUTION FOR THIS DANGEROUS COMBINATION? | Dr. Luís Augusto Montenegro Ledo (Almada, Portugal) |
| 7158 | Prevention of Maternal Hypotension During Cesarean Section With Norepinephrine Infusion. Does Time and Type of Administered Fluids Matter? | Dr. Kassiani Theodoraki (Athens, Greece) |
| 7186 | Primary hyperfibrinolysis in Amniotic Fluid Embolism: an illustrated case-report | Dr. Max Gonzalez Estevez (Lille, France) |
| 7245 | Atrial flutter with rapid ventricular response within a couple weeks of delivery! | Dr. José Pedro Afonso (Penafiel, Portugal) |
| 7269 | Hyponatraemia complicating hypertensive disorder of pregnancy | Dr. Aliko Tympa Grigoriadou (Athens, Greece) |
| 7281 | Remifentanyl patient-controlled analgesia (PCA) in labour: the importance of repeating the audit cycle to maintain a safe service. | Dr. Sophia Angelov (Dublin, Ireland) |
| 7290 | Successful perioperative management of a pregnant patient with Hereditary Angioedema: a case report | Dr. Ana Duarte (Lisboa, Portugal) |
| 7329 | Colloid co-hydration and vasoconstrictor infusion for prevention of postspinal hypotension during elective cesarean section. A comparative study | Dr. Kassiani Theodoraki (Athens, Greece) |
| 7334 | From suspected pulmonary thromboembolism to Tocilizumab: A diagnostic dilemma A case report on severe maternal SARS-CoV-2 | Dr. Malaka Munasinghe (Mannar, Sri Lanka) |
| 7336 | Spontaneous liver rupture secondary to HELLP syndrome. Case report | Dr. Adriana Carolina Orozco Vinasco (Leganes, Spain) |
| 7355 | A systematic review and meta-analysis on the safety and effectiveness of remifentanyl in pregnant women and their neonate during induction of general anesthesia for cesarean section | Dr. Mark Joseph Mendoza (San Juan City, Philippines) |
| 7368 | Type II quadratus lumbur block versus transverse abdominis plane block in abdominal hysterectomy: a prospective observational study | Dr. Luis Baeza Álvarez (Oviedo, Spain) |
| 7373 | Involving a Dedicated Epidural-Caring Nurse into Labor Ward Practice Improves Maternal Satisfaction towards Childbirth: A Retrospective Study. | Dr. Tsai Jen-Fu (aichung City, Taiwan) |
| 7398 | Force-plate posturography assessment of balance in parturients with labor epidural analgesia in comparison to non-laboring pregnant women. | Dr. Mira Küllmar (Muenster, Germany) |
| 7403 | Arnold-Chiari malformation in pregnant woman: choosing the best anaesthetic option for caesarean delivery | Dr. Rita Freitas (Lisboa, Portugal) |
| 7423 | Surgical removal of a knotted epidural catheter by a neurosurgeon - A rare complication Nisar Soomro ¹ , Abdel Rahman Hammad ² , Hussein AlEnazi ³ , Abdullah AlRaffa ⁴ , Andrew Norris ⁵ | Dr. Nisar Soomro (Riyadh, Saudi Arabia) |
| 7493 | Comparing pain catastrophizing, acute pain, and sub-acute pain outcomes between primary and repeat cesarean delivery | Dr. Ban Leong Sng (Singapore, Singapore) |
| 7531 | Postural orthostatic tachycardia syndrome: anesthesia for cesarian delivery | Dr. Rita Conde (Lisbon, Portugal) |
| 7538 | Postdural Puncture Headache (PDPH): Any News About Its Treatment? | Dr. Diogo Mendes Morais (Vila Real, Portugal) |
| 7554 | Perioperative considerations of a pregnant patient with hereditary angioedema submitted to a cesarean section: case report | Dr. Pedro Marques (coimbra, Portugal) |
| 7593 | Acute amphetamine consumption presenting as eclampsia - case report | Ms. Sarah Mota Oliveira (Lisboa, Portugal) |
| 7594 | Ultrasound-guided epidural anaesthesia for Caesarean section for a woman with pregnancy complicated by medulloblastoma | Dr. Andrii Harha (Kiev, Ukraine) |
| 7626 | Management of Obesity Hypoventilation Syndrome during Labor. | Dr. Sarah Shiba (Erbil, Iraq) |
| 7633 | Skin to skin contact and neonatal hypothermia: influence of maternal hypothermia at delivery. A retrospective study. | Dr. Ricardo Vieira Carlos (Sao Paulo, Brazil) |
| 7666 | Placenta previa: a clinical case of major obstetric hemorrhage | Dr. Catarina Dias (Aveiro, Portugal) |



| | | |
|------|---|---|
| 7676 | Metoclopramide induced acute dystonic reaction during labor | Dr. Sara Raquel Gonçalves Ribeiro (Porto, Portugal) |
|------|---|---|



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|--|
| 6479 | Performance time for cricothyroid membrane identification and characteristics of cricothyroid membrane in pediatric patients using ultrasonography | Mrs. Eunhee Kim (Seoul, South Korea) |
| 6483 | Paediatric pain management after emergency fracture reduction and orthopaedic surgery – a retrospective audit | Dr. Thomas Martin (Heidelberg, Australia) |
| 6487 | Duration of inhalation versus intravenous anaesthesia induction in paediatric patients: prospective observational trial | Dr. Eva Klabusayova (Brno, Czech Republic) |
| 6488 | Incidence of emergence delirium in the PACU: prospective observational trial | Dr. Eva Klabusayova (Brno, Czech Republic) |
| 6490 | Hypocalcemia management in paediatric thyroid surgery over a period of twenty years | Dr. María Lema (Madrid, Spain) |
| 6499 | Perioperative Management of Wilms' Tumor with Intravascular Extension. | Dr. Aarti Sharma (New York, United States) |
| 6515 | Accidental overheating of a child during ear surgery | Dr. André Eloy (Setubal, Portugal) |
| 6560 | Hickman-Broviac catheters: Indications and outcomes in Tunisian university hospital. | Dr. ketata Hend (sfax, Tunisia) |
| 6567 | COMPARISON OF INTRAPERITONEAL INSTILLATION OF MAGNESIUM SULPHATE AND BUPIVACAINE VERSUS INTRAVENOUS ANALGESIA IN LAPAROSCOPIC SURGERIES IN PEDIATRICS | Dr. Ibrahim Ahmed Ibrahim Walash (shebin elkom, Egypt) |
| 6581 | Perioperative management of a congenital norepinephrine secreting neuroblastoma | Dr. María Lema (Madrid, Spain) |
| 6597 | Retrospective Audit examining The the Incidence of Unexpected Paediatric Difficult Airway in a General Tertiary Hospital: A Retrospective Audit . | Dr. Annie Xin (Melbourne, Australia) |
| 6606 | Anaesthesia management of De Barys Syndrome in a series of interventions: case report | Dr. Ana Martínez Domingo (Girona, Spain) |
| 6665 | Flow-decoupled anesthesia machines in the pediatric operating room, Should we care? | Dr. sameh Nour (Los Angeles, United States) |
| 6704 | Evaluation of Atelectasis Formation with Electrical Impedance Tomography during deep sedation for MRI in children | Mr. Fabio Pascolo (Bern, Switzerland) |
| 6762 | It's not biliary atresia, it's Niemann-Pick C disease! Intraoperative TEG in an infant with liver failure. | Dr. Minia Rodríguez Lago (SANTIAGO DE COMPOSTELA, Spain) |
| 6808 | Anesthetic technique in a child with Rothmund-Thomson Syndrome. A case report. | Dr. Elena Méndez Martínez (San Sebastian, Spain) |
| 6816 | Anesthetic technique in a child with Schinzel-Giedion Syndrome. A case report. | Dr. Elena Méndez Martínez (San Sebastian, Spain) |
| 6819 | Anesthetic technique in a child Perrault Syndrome. A case report. | Dr. Elena Méndez Martínez (San Sebastian, Spain) |
| 6878 | Successful management of aortic thrombosis in a newborn with thrombolytic therapy | Dr. Aleh Zhuk (Minsk, Belarus) |
| 6946 | Endotracheal intubation in simulated normal pediatric airways: systematic review and meta-analysis with preliminary results. | Dr. Luigi La Via (CATANIA, Italy) |
| 6985 | ANESTHETIC MANAGEMENT IN EMERGENCY SURGERY IN A PATIENT WITH DUCHENNE MUSCULAR DYSTROPHY. ABOUT A CASE. | Dr. Andrea Lara-Jiménez (Pamplona, Spain) |
| 6995 | RIGHT AORTIC ARCH WITH DISCONNECTION OF THE RIGHT PULMONARY ARTERY OF THE PULMONARY TRUNK. ABOUT A CASE. | Dr. Andrea Lara-Jiménez (Pamplona, Spain) |
| 7000 | Endotracheal intubation in pediatric difficult airway simulation scenario: a systematic review and meta-analysis with preliminary results. | Dr. Luigi La Via (CATANIA, Italy) |
| 7027 | PREOPERATIVE FASTING IN THE PAEDIATRIC POPULATION – EXPERIENCE OF A PAEDIATRIC CENTRE | Dr. Mariana Cortez (Lisbon, Portugal) |
| 7062 | Perioperative stress level evaluation during sevoflurane low-opioid anesthetic management for prolonged pediatric dental procedures in private ambulatory practice | Dr. Iryna Teplova (Dnepropetrovsk, Ukraine) |
| 7066 | Pediatric endotracheal intubation performed during chest compressions for ongoing cardiopulmonary resuscitation: a systematic review and preliminary meta-analysis of simulation studies. | Dr. Luigi La Via (CATANIA, Italy) |
| 7094 | The evaluation of the caudal block performance in 0-8 year-old children using FLACC scale: A retrospective analysis | Dr. FILIZ UZUMCUGIL (Ankara, Turkey) |
| 7105 | Anesthetic management in pediatric patients 6 months after declaration of a pandemic. What changed? | Dr. Catarina Pinto (Matosinhos, Portugal) |
| 7154 | MASSIVE HAEMORRHAGE AND SEVERE COAGULOPATHY DURING PAEDIATRIC LIVER TRANSPLANT – A CASE REPORT | Dr. João Oliveira (Coimbra, Portugal) |



| | | |
|------|--|---|
| 7210 | Anaesthetic management in Apert's Syndrome | Dr. Ulises Sánchez Vásquez (Ciudad de México, Mexico) |
| 7211 | Effect of abdominal truncal blocks on outcomes of open appendectomy for perforated appendicitis with peritonitis in children: a retrospective study | Dr. Iryna Kyselova (Kyiv, Ukraine) |
| 7246 | Wolff-Parkinson-White pattern newly diagnosed inside the operative room | Dr. Rita Ribas (Lisbon, Portugal) |
| 7254 | Neonatal anesthetic safety: abdominal surgery in an extremely premature and low birth weight patient | Dr. Raquel Saraiva (Lisbon, Portugal) |
| 7262 | Use of low-dose dexmedetomidine for day case surgery in the paediatric population: A prospective randomised controlled trial | Ms. Christina Koufopoulou (Goudi Athens, Greece) |
| 7324 | The effect of Dream Doctors in children undergoing digestive endoscopic procedures: Physiological and biological assessment of emotional and cognitive consequences. | Dr. Rony Hakim (Afula, Israel) |
| 7335 | Efficacy of ultrasound-guided Transmuscular Quadratus Lumborum Block in paediatric abdominal surgery. A randomized controlled trial. | Dr. Diego Guardabassi (Caba, Argentina) |
| 7352 | Prospective Evaluation of the Temple Touch Pro Temperature Monitoring System compared to Oesophageal Reference Temperature in Paediatric Anaesthesia (PETER PAN) | Mrs. Clemens Miller (Göttingen, Germany) |
| 7358 | Investigation of the DNA methylation profile in children presenting emergence delirium | Dr. Vinicius Quintão (Sao Paulo, Brazil) |
| 7378 | "Infantile TAR syndrome & concurrent Covid 19: Surmounting an uphill!" | Dr. Nidhin Eldo (Ernakulam, India) |
| 7404 | Nalbuphine and the occurrence of emergence delirium in children undergoing ophthalmic surgery – a retrospective analysis | Dr. Nicolas Leister (Cologne, Germany) |
| 7414 | Comparison of hemosorption efficacy using CytoSorb and HA330 in pediatric oncological patients with sepsis | Dr. Zaure Tobylbayeva (Nur-Sultan, Kazakhstan) |
| 7416 | Hemosorption with HA-230 adsorber in children with cancer in case of Delayed Methotrexate clearance after High Dose Methotrexate Therapy | Dr. Vitaliy Sazonov (Nur-Sultan, Kazakhstan) |
| 7418 | Paediatric airway foreign bodies. Time for a gameplan rethink? | Dr. Aaron Low (Chapel Hill, United States) |
| 7508 | Ehlers-Danlos Syndrome, what now? | Dr. Fábio Oliveira Costa (Braga, Portugal) |
| 7536 | Congenital tongue malformation - a newborn airway management challenge | Dr. Diana João Fonseca (Porto, Portugal) |
| 7553 | Non-pharmacological measures for anxiolysis in pediatric patients in a non-pediatric hospital. | Dr. Tamara Valentina Díaz Gómez (Barcelona, Spain) |
| 7557 | Central venous catheter related thrombosis leading to venous alterations in infancy: A case report | Prof. Filiz Üzümcügil (Ankara, Turkey) |
| 7578 | Is it empty? Correlation between fasting interval and gastric content in children | Dr. Gabriella Aschkenasy (Jerusalem, Israel) |
| 7581 | Time for intubation in pediatrics amongst diverse laryngoscopes: a systematic review with network meta-analysis. | Mr. Lucas Medeiros (Campina Grande, Brazil) |
| 7585 | Ranking video laryngoscopes and direct laryngoscopes for difficult laryngoscopy in children: a systematic review with network meta-analysis of randomized clinical trials. | Mr. Lucas Medeiros (Campina Grande, Brazil) |
| 7586 | A service evaluation project exploring anaesthetic technique used for paediatric magnetic resonance imaging in a UK tertiary paediatric hospital. | Dr. Luke Winslow (Liverpool, United Kingdom) |
| 7587 | Comparison of intranasal dexmedetomidine- midazolam, dexmedetomidine-ketamine and midazolam-ketamine for premedication in paediatric patients: a double-blinded randomized trial | Dr. Shilpa Goyal (Jodhpur, India) |
| 7603 | A randomised controlled trial examining the effect of preoperative oral paracetamol on gastric residual volume and pH in children, in the context of a 1 hour clear fluid fast | Dr. Emily Saffer (London, United Kingdom) |
| 7628 | Endotracheal tube obstruction during oesophageal atresia and tracheoesophageal fistula repair: a case report | Dr. Marisa Barros (Porto, Portugal) |
| 7639 | Postoperative complications in pediatric patients in a non-pediatric hospital. | Dr. Tamara Valentina Díaz Gómez (Barcelona, Spain) |

PEDIATRIC ANAESTHESIOLOGY



| | | |
|------|---|---------------------------------------|
| 7646 | The implementation of the ERAS protocol in paediatric orthopaedic surgery may influence on surgical stress response and length of hospital stay in children | Dr. Iryna Kyselova (Kyiv, Ukraine) |
| 7652 | Unexpected presentation of tracheosphageal fistula during intubation in a pediatric patient - a case report | Mrs. Larissa Morais (Evora, Portugal) |
| 7678 | Cognitive dysfunctions in the context of multiple anesthesia during traumatic illness resulting from child abuse | Ms. Ella Lukavska (Київ, Ukraine) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6501 | Preoperative exercise ameliorates postoperative cognitive dysfunction in rats with muscle atrophy. | Dr. Akira Nemoto (Akita-city, Japan) |
| 6600 | Preliminary data on the use of TRAM-34, a KCa3.1 channel blocker, in a murine model of perioperative neurocognitive disorders | Dr. Kristina Jamar (Lodelinsart, Belgium) |
| 6645 | Anaesthetic Management in a Patient with anti-IgLON5 disease | Dr. Anna Fernández-Esmerats (Barcelona, Spain) |
| 6667 | Iatrogenic right common iliac artery injury during lumbar discectomy: a case report | Mrs. Igne Pilveliėne (Vilnius, Lithuania) |
| 6676 | Delayed-onset bradycardia and hypotension with negative pressure application to subgaleal drain following supra-tentorial craniotomy | Dr. SARBPREET Sarao (Liverpool, United Kingdom) |
| 6680 | Should we pay attention to radiation exposure from brain computed tomography-related medical imaging in the NICU | Dr. Petar Martinovic (Zagreb, Croatia) |
| 6783 | Safety of asleep deep brain stimulation for Parkinson's disease: perioperative outcomes after moving from conscious sedation to general anaesthesia. | Dr. Marta Garcia-Orellana (Barcelona, Spain) |
| 6851 | Postprocedure delirium and time point of assessment after electroconvulsive therapy: a prospective clinical service evaluation audit. | Dr. Christian Beilstein (Bern, Switzerland) |
| 6865 | Awake craniotomy on a patient with Freeman-Sheldon syndrome: Challenges in anesthesia management | Dr. Eleftheria Saoulidou (Athens, Greece) |
| 6889 | Individualising management of arterial blood pressure during neurosurgery: cerebral autoregulation guided approach | Dr. Erta Beqiri (Cambridge, United Kingdom) |
| 6894 | Effect of adjunctive lidocaine-based scalp block and laryngotracheal local anesthesia vs. general anesthesia only on plasma and cerebrospinal fluid interleukin-6 levels in unruptured cerebral aneurysm patients | Dr. Marijana Matas (Zagreb, Croatia) |
| 6901 | Co-administration of dexmedetomidine in carotid endarterectomy (CEA) with intraoperative SSEP and MEP monitoring: A single-centre prospective randomised controlled trial | Dr. Christian Thomas Vetter (Bern, Switzerland) |
| 7021 | ANAESTHETIC MANAGEMENT OF A PATIENT WITH DEEP BRAIN STIMULATION IMPLANT FOR TOTAL PAROTIDECTOMY | Dr. Carolina Almeida (Lisbon, Portugal) |
| 7112 | Anesthetic management of foramen magnum meningiomas (FMM) – a comparison of 2 case reports - the ventral decubitus (VDP) vs the sitting position (SP) | Dr. Joao Saldanha Marques (Porto, Portugal) |
| 7225 | Early effects of intracerebroventricular applied recombinant osteopontin on secondary brain damage and bone healing in a murine polytrauma model | Dr. Katharina Ritter (Mainz, Germany) |
| 7251 | A case report of anesthesia management for an intracranial aneurysm embolization in a patient with atrial septal defect | Dr. Ionut Branea (Targu- Mures, Romania) |
| 7353 | Comparison of procedure duration of spinal and general anesthetic techniques for lumbar disc surgery | Dr. Armen Varosyan (Yerevan, Armenia) |
| 7374 | Effectiveness of hands-free trans-nasal humidified rapid insufflation ventilatory exchange (THRIVE) over conventional facemask ventilation technique for oxygenation in patients undergoing electroconvulsive therapy: A cross-over study | -1 Balaji Vaithialingam (BENGALURU, India) |
| 7502 | Disseminated Intravascular Coagulation during Olfactory Neuroblastoma resection | Dr. Eugenia Pujol (Girona, Spain) |
| 7613 | Cardiopulmonary resuscitation in prone position during spine surgery: Case-by-case. | Mrs. Alba Burgos Santamaría (Madrid, Spain) |
| 7664 | Anaesthetic management in Moyamoya disease: a case report. | Dr. Zaida Ron Villalba (Lleida, Spain) |

CARDIAC, THORACIC AND VASCULAR ANAESTHESIOLOGY



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|--|---|
| 6559 | Postoperative outcome in solitary kidney patients after an elective cardiac surgery | Dr. Rafail Ioannidis (Thessaloniki, Greece) |
| 6561 | Perioperative flow-controlled ventilation (FCV) versus pressure-controlled ventilation (PCV) in elective on-pump cardiac surgery procedures: A prospective randomized-controlled clinical trial. Study acronym: FLOWVENTIN HEARTSURG. | Dr. Simon Becker (Bochum, Germany) |
| 6578 | Passive leg rising test predicts fluid responsiveness during high thoracic epidural anesthesia after off-pump coronary surgery | Dr. Dmitrii Volkov (Arkhangelsk, Russia) |
| 6618 | Multicenter international survey on the clinical use of inhaled nitric oxide | Dr. Kathleen Van Loon (Leuven, Belgium) |
| 6622 | Plasma Annexin V levels as a marker of early cardiac complications after on-pump coronary artery bypass grafting | Mr. Stepan Maruniak (Kyiv, Ukraine) |
| 6629 | Intraoperative a power and its correlation with the occurrence of postoperative delirium (POD) in cardiac surgery with cardiopulmonary bypass (CPB): preliminary results of a prospective observational cohort study | Dr. Céline Khalifa (Brussels, Belgium) |
| 6638 | Predictors of LCOS in the early postoperative period after coronary artery bypass grafting | Dr. Stepan Maruniak (Kyiv, Ukraine) |
| 6652 | FLAVOUR-study: FLow patterns And postoperative VasOplegia in mechanical circulatory support | Mr. Bastiaan Johannes Kersten (Utrecht, Netherlands) |
| 6685 | Increased episodes of intraoperative hypotension as independent risk factor for the development of postoperative delirium after cardiac surgery: a retrospective cohort study. | Mr. Niklas Mohr (Bad Oeynhausen, Germany) |
| 6720 | Anaesthetic management of a patient with giant pulmonary bullae for video-assisted thoracoscopic surgery (VATS) bullectomy: a case report | Dr. Joana Tinoco (Setubal, Portugal) |
| 6723 | Ventricular septal bulge in patient undergoing liver transplantation | Dr. Lady Carolina Barrera Bohórquez (Barcelona, Spain) |
| 6727 | Efficacy of broncho-alveolar lavage in pulmonary alveolar proteinosis: bilateral or single sessions? | Dr. Lady Carolina Barrera Bohórquez (Barcelona, Spain) |
| 6765 | Anaesthetic management for non-cardiac surgery in patients with left ventricular assist device. A third level Spanish centre experience. | Dr. Oscar Comino-Trinidad (Barcelona, Spain) |
| 6778 | Left coronary artery trunk occlusion after insertion of aortic valve prosthesis | Dr. Sandra Martín (Barcelona, Spain) |
| 6793 | The impact of sinotubular junction diameter threshold on pressure recovery adjustment for disease severity in transcatheter aortic valve replacement patients | Dr. Luis Fernando Gonzalez Ciccarelli (Boston, United States) |
| 6794 | Monitoring of SC perfusion, ischaemia and reperfusion with NIRS to guide anaesthesiologic management of open thoracoabdominal aneurysm repair surgery: towards a new standard in monitoring? | Dr. Dora Karmelic (Zagreb, Croatia) |
| 6815 | Anesthetic management of a patient with oculopharyngeal muscular dystrophy (OMD) - a case report | Dr. João Maria Caldeira Ribeiro Nunes (Lisboa, Portugal) |
| 6867 | Opioid-sparing intravenous multimodal analgesia/sedation strategy for non-intubated thoracic surgery: A case report | Dr. Georgios Stefanakis (Heraklion, Greece) |
| 6880 | Effects of sodium glucose co-transporter 2 inhibitor empagliflozin on endothelial dysfunction induced by oscillatory shear stress | Ms. Xiaoling Li (Amsterdam, Netherlands) |
| 6904 | Effects of positioning and hypovolemia on the distribution of pulmonary perfusion during one-lung ventilation in pigs | Dr. Jakob Wittenstein (Dresden, Germany) |
| 6906 | Endocarditis with a twist: Tilted aortic valve replacement conditions severe aortic stenosis, leading to hemodynamic collapse | Dr. Sara Vazquez Tojo (Santiago, Spain) |
| 6931 | Opioid-free anesthesia in anterior mediastinal mass excision through an hemiclamsheal incision | Dr. Joana Ribeiro (Lisboa, Portugal) |
| 6950 | Hand ventilation versus machine ventilation for transportation of post-operative paediatric cardiac patients: A prospective randomized study | Dr. Venuthurupalli S P Rajesh (Ahmedabad, India) |
| 6957 | Thoracic paravertebral versus interpleural analgesia for post-thoracotomy pain management in minimally invasive cardiac surgery | Dr. Guriqbal Singh (Ahmedabad, India) |

CARDIAC, THORACIC AND VASCULAR ANAESTHESIOLOGY



| | | |
|------|--|---|
| 6982 | Reoperation of mitral valve replacement in a patient with factor XII deficiency: a case report | Dr. Eduardo Ferro Mocsári (São Paulo, Brazil) |
| 6994 | Heart transplantation in young patient after severe COVID-19 infection: a case report | Dr. Eduardo Ferro Mocsári (São Paulo, Brazil) |
| 6998 | Hybrid cardiac surgery in a 96-year-old patient: a case report | Dr. Eduardo Ferro Mocsári (São Paulo, Brazil) |
| 7014 | ASSOCIATED FACTORS TO UNILATERAL PULMONARY EDEMA AFTER MINIMALLY INVASIVE MITRAL VALVE SURGERY | Mr. Manuel López-Baamonde (Barcelona, Spain) |
| 7047 | Valve – in – Valve transcatheter aortic valve implantation for aortic incompetence: a challenging case. | Dr. Aaditya Anil Prabhudesai (Mumbai, India) |
| 7064 | Is the adherence to coagulation algorithms as part of Point-of-Care diagnostics in elective Cardiac surgery beneficial? | Ms. Anna Wolf (Kiel, Germany) |
| 7078 | T3 levels but not testosterone and prolactin is associated with prolonged ventilation in elective cardiac surgery patients | Dr. Krisztina Tóth (Budapest, Hungary) |
| 7110 | The effect of carotid endarterectomy on cognitive function regarding cerebral hypoperfusion | Dr. Ágnes Dóra Sándor (Budapest, Hungary) |
| 7114 | Target induction of the anti-inflammatory enzyme heme oxygenase-1 in endothelial cells attenuates anti-HLA I antibody induced E-Selectin mediated monocyte transmigration in vitro and mitigates transplant vasculopathy in vivo | Ms. Laura Kummer (Heidelberg, Germany) |
| 7118 | Lung Transplantation for Severe Post-COVID-19 Respiratory Failure – a short-term reality or long-term challenge? | Dr. Carolina Almeida (Lisbon, Portugal) |
| 7122 | Increased cerebral blood flow despite reduced oximetry during cardiopulmonary bypass suggests cerebral perfusion mismatches in patients developing postoperative delirium | Mrs. Lara Braun (Bonn, Germany) |
| 7140 | Intraoperative hypotension and its association with renal outcome of patients undergoing cardiac surgery: a large retrospective cohort study | Mrs. Hilke Jung (Bad Oeynhausen , Germany) |
| 7173 | A comprehensive frailty assessment could predict mortality after cardiac and vascular surgery | Dr. András Szabó (Budapest, Hungary) |
| 7206 | Ductus arteriosus ligation in a 465g ultra-premature - how small is too small? | Dr. Joao Saldanha Marques (Porto, Portugal) |
| 7275 | 3D-echocardiographic assessment of regional right ventricular function reveals patterns associated with short-term outcomes in patients undergoing cardiac surgery | Ms. Marcia-Marleen Duerr (Tuebingen, Germany) |
| 7313 | Periventricular muscular VSD closure under transesophageal echocardiography guidance with concomitant surgical repair of perimembranous VSD: A staged hybrid approach | Dr. YI AN HUNG (aichung City, Taiwan) |
| 7320 | Respiratory complications after robotic-assisted thymectomy in patients with myasthenia gravis – a retrospective analysis | Dr. Georg Scheriau (Vienna, Austria) |
| 7338 | The effect of anesthesia depth on duration and overall success of the procedure in patients undergoing ectopic focus ablation | Dr. Başak Akça (Ankara, Turkey) |
| 7342 | Covid 19, a pop up differential to postoperative inflammatory state and its impact on outcomes after Cardiac surgery | Dr. Ks Ramkiran (Ahmedabad, India) |
| 7344 | Ninety-day Quality of Recovery trajectory after totally endoscopic aortic valve replacement: a prospective observational cohort study | Dr. Jasmin Verbist (Hasselt, Belgium) |
| 7379 | Accuracy of visual estimation of the left ventricular ejection fraction in untrained perioperative echocardiographers | Dr. Kasana Raksamani (Bangkok, Thailand) |
| 7464 | Migration of a contraceptive implant to the pulmonary artery: A complicated anesthetic and surgical management case report | Dr. Ana Silva (Porto, Portugal) |
| 7494 | On-table extubation after minimally-invasive adult cardiac surgery : preliminary analyses of a single-center retrospective non-inferiority trial | Dr. Laura Gos (Liege, Belgium) |
| 7512 | Postoperative complications after Type b aortic dissection endovascular treatment. | Dr. Carmen Pérez (Oviedo, Spain) |
| 7528 | The prevalence of poor distal leg perfusion in totally endoscopic cardiac surgery: a prospective cohort study | Dr. Jeroen Peeters (Hasselt, Belgium) |
| 7560 | Urological and renal complications in patients undergoing lung resection surgery in ERAS environment | Dr. Anna Recasens García (Barcelona, Spain) |
| 7611 | A left atrial myxoma with a giant Eustachian valve giving the appearance of cor triatriatum dexter. | Dr. Carla Cugat Torres (Palma de Mallorca, Spain) |
| 7614 | Measurement of cardiac output by transpulmonary thermodilution is equivalent to continuous measurement by pulmonary artery catheter in an animal model of left ventricular assist. | Mrs. Victoria E. Vega (Madrid, Spain) |
| 7624 | Metabolic Alkalosis in the Paediatric Cardiac Intensive Care - A Prospective Observational Study | Dr. Diana Thomas (Trivandrum, India) |
| 7637 | Infection marker in perioperative medicine | Dr. Olga Hrazdilova (Brno, Czech Republic) |

CARDIAC, THORACIC AND VASCULAR ANAESTHESIOLOGY



| | | |
|------|--|--|
| 7641 | "Role of Elective Peritoneal Dialysis in Infants and Children undergoing Congenital Cardiac Surgery" | Dr. Dr. Jigisha Sachde (Ahmedabad , India) |
| 7654 | Renal tissue oxygen monitoring to predict early kidney injury to improve outcome in neonatal cardiac surgery | Dr. Abhishek Verma (AHMEDABAD, India) |
| 7662 | Klippel Trenaunay Syndrome - when risk meets cardiac surgery | Mrs. Larissa Morais (Evora, Portugal) |

ACUTE AND CHRONIC PAIN MANAGEMENT AND PALLIATIVE MEDICINE



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|--|---|
| 6513 | Ganglion impar block for perineal neuropathic pain after urologic surgery – the usefulness of echography | Dr. André Eloy (Setubal, Portugal) |
| 6526 | Chronic pain burden after COVID-19 disease | Dr. Raquel Saraiva (Lisbon, Portugal) |
| 6585 | CONTINUOUS ERECTOR SPINAE BLOCK AS POSTOPERATIVE ANALGESIC TECHNIQUE FOR ROBOTIC-ASSISTED THORACIC SURGERY: PRELIMINARY RESULTS FROM A SINGLE CENTER CASE SERIES | Dr. Stefano Tigano (Catania, Italy) |
| 6745 | CORRELATION OF PAIN PERCEPTION AND FENTANYL CONSUMPTION AFTER MAJOR ABDOMINAL SURGERY WITH CGRP 4218T/C POLYMORPHISMS | Dr. Prashant Halvi Togataveera (Delhi, India) |
| 6758 | Failure of US guided double block in postherpetic thoracic neuralgia | Dr. MATOUK MOHAMED (ALGERIES, Algeria) |
| 6761 | Peripheral neuropathic pain. Capsaicin al 8% and Its effectiveness already demonstrated. | Dr. Cristian Palau Marti (Valencia, Spain) |
| 6770 | Assessment of analgesic control and intraoperative surgical stress in paediatric patients undergoing otolaryngology surgery on adenoids and/or tonsils | Mr. José María Ahijado Agudo (Madrid, Spain) |
| 6841 | Nociception Level-guided balanced general anesthesia favorably influences the acute postoperative pain after elective major abdominal surgery | Dr. Iulia Cindea (Constanta, Romania) |
| 6919 | Development and use of the self-assessment tool “iCAN!-Pain Therapy” specially designed for undergraduate medical students attending the “Pain Therapy” class | Dr. Maria Ntalouka (Larissa, Greece) |
| 6922 | Pain prevalence in hospitalized patients | Dr. Angel Becerra Bolaños (Las Palmas de Gran Canaria, Spain) |
| 6928 | Ilio-inguinal neuropathic pain after inguinal hernia repair treated with hydro dissection/hyaluronic acid and pulsed radiofrequency | Dr. Jolien Naledi Segers (Genk, Belgium) |
| 6929 | Spontaneous intracranial hypotension: a role for epidural blood patch | Dr. Marta Laranjo (Leiria, Portugal) |
| 6944 | Efficacy and safety of metamizole in pain management after scheduled craniotomy | Dr. Marcos Javier Prados Martínez (Las Palmas de Gran Canaria, Spain) |
| 6969 | Epidural dexamethasone for thoracic and lumbosacral radicular pain, a single center audit. | Dr. Annemijn Witdouck (Genk, Belgium) |
| 6973 | Lidocaine patch for localized neuropathic pain: a single center audit. | Dr. Sebastiaan Kellens (Genk, Belgium) |
| 6989 | Defining chronic postsurgical pain: Pain intensity versus patient reported pain-related outcomes | Mrs. Debora Hofer (Bern, Switzerland) |
| 6991 | The role of capsaicin 8% patch in treating neuropathic pain: an observational retrospective study | Dr. Katarzyna Korwin-Kochanowska (Genk, Belgium) |
| 7020 | Chronic postsurgical pain after breast cancer surgery and related risk factors | Dr. Marisa Barros (Porto, Portugal) |
| 7028 | PERCUTANEOUS LUMBAR SYMPATECTOMY AS A TREATMENT FOR ACROCIANOSIS. ABOUT A CASE. | Dr. Andrea Lara-Jiménez (Pamplona, Spain) |
| 7031 | Impact of surgery and pain in quality of life in patients with breast cancer | Dr. Marisa Barros (Porto, Portugal) |
| 7068 | AMAZONE Prevention of persistent pain after breast cancer treatment - development of a web-based cognitive behavioural therapy application | Dr. Anne Lukas (Maastricht, Netherlands) |
| 7088 | Postoperative Analgesia After Open Liver Surgery: A systematic review | Mr. Rock Ibrahim (Warsaw, Poland) |
| 7139 | Short-term effects of opioids on size and vulnerability of murine atherosclerotic lesions | Mr. Alexander Hermann (Heidelberg, Germany) |
| 7203 | Parsonage-Turner Syndrome, a case report and literature review. | Dr. Fernando Madroño Melo (Tomelloso,, Spain) |
| 7271 | The opioid-sparing effect of bilateral superficial cervical plexus block (BSCPb) in thyroid surgery patients | Dr. Sergii Tarasenko (Kyiv, Ukraine) |
| 7272 | Characterization of chronic pain in patients with inflammatory bowel disease: investigation of a potential neuropathic component. | Dr. Maxime Degesves (Liège, Belgium) |

ACUTE AND CHRONIC PAIN MANAGEMENT AND PALLIATIVE MEDICINE



| | | |
|------|---|--|
| 7406 | Impact of the COVID-19 lockdown on patients with Fibromyalgia in an LMIC. | Dr. Carolina Haylock-Loor (San Pedro Sula, Honduras) |
| 7415 | Opioid Free-Anaesthesia in lumbar spine surgery: a prospective randomized single blinded trial | Dr. Harmony Millemann (Bruxelles, Belgium) |
| 7476 | Pain levels and patient comfort after lower-limb arthroplasty comparing i.v.-patient controlled analgesia, continuous peripheral nerve block or neuraxial analgesia: a retrospective analysis | Mrs. Alina Yurutkina (Bonn, Germany) |
| 7492 | Pericapsular nerve group block for postoperative pain management in bilateral direct anterior total hip arthroplasty | Dr. Gisela Reis (Lisbon, Portugal) |
| 7501 | Undergraduate medical students' knowledge and attitude toward care of dying patient; results from a Medical School | Dr. Maria Ntalouka (Larissa, Greece) |
| 7533 | Chronic postoperative inguinal pain: a stepwise approach for pain control | Dr. Bárbara Carolina Silva Sousa (Amadora, Portugal) |
| 7565 | Comparison of the postoperative analgesic effects of nefopam and tramadol in females undergoing caesarean section: A randomized clinical trial | Dr. Jean Claude Stephan (Byblos, Lebanon) |
| 7627 | Postoperative respiratory depression associated with sufentanil perfusion in major oncologic surgery | Dr. Sofia Zamora Trovisco (Porto, Portugal) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|--|
| 6525 | Postoperative complications of lung transplant surgery: a single centre retrospective study | Dr. Diogo Costa (Funchal, Portugal) |
| 6527 | Continuous long term wireless measurement of right ventricular pressures and ePAD in patients with severe COVID-19 ARDS using a novel right ventricular pressure transducer | Mr. Matthias Gärtner (Langen, Germany) |
| 6545 | Ischaemic Complications In Patients With Extracorporeal Membrane Oxygenation | Mr. Matthias Gaertner (Langen, Germany) |
| 6568 | Effect of flow controlled ventilation on oxygenation in COVID-19 ARDS | Dr. Gregory De Meyer (Edegem, Belgium) |
| 6647 | Postoperative prophylactic intermittent noninvasive ventilation versus postoperative standard of care for patients at high risk of pulmonary complications: a multicentre, randomized, open clinical trial. | Dr. Stanislas Abrard (LYON, France) |
| 6655 | Detection of loss of aeration by lung ultrasound in obese ARDS patients | Dr. Irene Steinberg (Torino, Italy) |
| 6725 | Green urine after propofol infusion: a case report | Dr. Filipa Andrade Almeida da Cunha (Viseu, Portugal) |
| 6763 | Atrioventricular disruption after mitral valve replacement secondary to rheumatic valvular disease, use of ECLS and early ventricular thrombosis. | Dr. Minia Rodríguez Lago (SANTIAGO DE COMPOSTELA, Spain) |
| 6802 | BMI modifies increased mortality risk of post-PCI STEMI patients with AKI | Dr. Reut Schwartz (Tel Aviv, Israel) |
| 6822 | Sengstaken-Blakemore tube controls massive bleeding in aorto-esophageal fistula after first endovascular repair. | Dr. Sara Vazquez Tojo (Santiago, Spain) |
| 6845 | Concomitant intrathecal and intravenous injection of tigecycline in treatment of multidrug-resistant Klebsiella pneumoniae meningitis: a case report. | Dr. Tijana Nastasovic (Belgrade, Serbia) |
| 6866 | Deformities of Arterial Catheter in Perioperative Period: Preliminary Observation. | Dr. Yushi U. Adachi (Shizuoka, Japan) |
| 6959 | Propofol Infusion Syndrome or Not? A case report | Dr. Andreia Machado (Porto, Portugal) |
| 6974 | Incidence of acute kidney injury in abdominal surgery. Could it be improved? | Dr. Andrea Lara-Jiménez (Pamplona, Spain) |
| 6996 | Descriptive study of patients and mortality rate in the Burn Unit of a tertiary care Portuguese Hospital | Dr. Susana Patrícia Novo Pereira (Lisbon, Portugal) |
| 7038 | Guillain-Barré syndrome in a COVID-19 ventilated patient – An entity to be suspected | Dr. Joao Bezerra de Lima Novo (Porto, Portugal) |
| 7051 | Correlation between mechanical power and lung inflammation assessed by positron-emission tomography in experimental acute lung injury in pigs | Dr. Martin Scharffenberg (Dresden, Germany) |
| 7071 | Guillain-Barre Syndrome as first presentation of non-Hodgkin lymphoma. | Dr. Andrea Lara Jiménez (Pamplona, Spain) |
| 7089 | The use of Mid-Regional pro-Adrenomedullin as prognostic biomarker in ICU COVID-19 patients: preliminary data of Italian “second wave” of pandemic | Dr. Eleonora Balzani (Turin, Italy) |
| 7096 | Indwelling device-associated biofilms in oncological critically ill patients | Dr. Olguta Lungu (Iasi, Romania) |
| 7119 | Covid 19 can cause large intracranial Hemorrhage | Dr. Muhammad Arslan (Drogheda, Ireland) |
| 7142 | Pharmacokinetic and metabolism of remimazolam are stable and not affected under conditions of long-term infusion and inflammation | Dr. Marija PESIC (Aachen, Germany) |
| 7177 | Evaluation of peripheral perfusion to fluid response using remote photoplethysmography imaging and automatized Capillary refill time technique in COVID - 19 patients. A Pilot study | Dr. Mara Klibus (Rīga, Latvia) |
| 7198 | How do intraoperative and postoperative events influence the development of delirium in cardiac surgery? | Dr. Olga de la Varga Martinez (Madrid, Spain) |
| 7244 | Association of mechanical energy and ventilator induced lung injury in experimental acute lung injury in pigs – Contribution of the computation of PEEP | Dr. Martin Scharffenberg (Dresden, Germany) |
| 7267 | The prevalence of psychiatric disorders as part of post-ICU syndrome among ICU-survivors – a retrospective single-center study | Dr. Shiri Zarour (Tel Aviv-Yafo, Israel) |



| | | |
|------|--|---|
| 7289 | Prevalence and predictive value for poor outcome of body mass index in critically ill COVID-19 patients: a retrospective cohort study | Dr. Paul Hendrickx (Hasselt, Belgium) |
| 7306 | Clinical course and outcomes of critically ill patients with COVID-19 infection treated in the Intensive Care Unit of University Hospital of Split. | Prof. Dr. Sanda Stojanovic Stipic (Split, Croatia) |
| 7309 | Energy expenditure measured with indirect calorimetry during the post-ICU hospital stay. | Dr. Daniel Lepore (Liège, Belgium) |
| 7311 | Acylcarnitines profile in survivors of a prolonged ICU stay. | Dr. Sarah Schmitz (Liège, Belgium) |
| 7314 | A CASE REPORT ON BILATERAL PRIMARY PSOAS ABSCESS IN A PATIENT WITH LONG STANDING DIABETES MELLITUS | Dr. Malaka Munasinghe (Mannar, Sri Lanka) |
| 7317 | Accuracy of spot urine protein to creatinine ratio (SPCR) as an early predictor for acute kidney injury in severe preeclampsia | Dr. Meryem Essafti (Marrakech, Morocco) |
| 7325 | Frequency of lactate monitoring as a prognostic utility in postcardiac ICU patients: a propensity matched analysis | Mr. Vedran Lokosek (Zagreb, Croatia) |
| 7333 | Re-expansion Pulmonary Oedema – an under reported and often missed complication. Can it be avoided? | Dr. Zoe Rosenheim (London, United Kingdom) |
| 7343 | Demographics, Risk factors and Outcomes of Critically Ill COVID-19 patients requiring Continuous Renal Replacement Therapy: A National Cohort Study from Malta. | Dr. Carl Tua (Msida, Malta) |
| 7411 | Feasibility and safety of in-bed cycling in early physiotherapy of severe TBI patients admitted to intensive care unit. | Dr. Gábor Nardai (Budapest, Hungary) |
| 7447 | Two Patients treated in the Intensive Care Unit for Sewer Gas Exposure | Dr. yagmur can DADAKCI (Ankara, Turkey) |
| 7453 | Assessing the accessibility of patient transfer information from an electronic system at a regional burns intensive care unit | Dr. Benjamin Holdstock-Brown (Chelmsford, United Kingdom) |
| 7459 | Heat Loss During Sedated Wound Management Procedures in Burn Injuries | Dr. Amritpal Jandu (Broomfield, United Kingdom) |
| 7469 | Anaesthetic conserving device AnaConDa® used for hypertension control in critical care of burned patient | Dr. Ana Silva (Porto, Portugal) |
| 7485 | Diary of COVID-19 patient with Guillain-Barre Syndrome- ICU Christmas miracle | Prof. Dr. Sanda Stojanovic Stipic (Split, Croatia) |
| 7496 | Use of Sedatives and Neuromuscular-Blocking agents in Mechanically Ventilated patients with COVID-19 ARDS | Dr. Alberto Diosdado (Barcelona, Spain) |
| 7513 | Platelet trends associated with mortality in patients admitted to the Intensive Care Unit with COVID-19: a retrospective single-centre study | Dr. Runil Shah (Luton, United Kingdom) |
| 7519 | Viral coinfections and viral reactivations in critically ill COVID-19 patients | Dr. Bastien Maqueda (Auderghem, Belgium) |
| 7526 | Pericardial effusion and Hypoalbuminemia in mechanically ventilated patients: The unbreakable bond | Prof. Dr. Sanda Stojanovic Stipic (Split, Croatia) |
| 7573 | Comparison of norepinephrine and terlipressin versus norepinephrine alone for management of septic shock: a randomised control study | Dr. Nikhil Kothari (Jodhpur, India) |
| 7600 | Identification of mineralocorticoid and glucocorticoid receptors as potential targets to regulate parasympathetic, sympathetic and sensory neurons within rat intracardiac ganglia | Dr. Lukas Dehé (Berlin, Germany) |
| 7632 | The burden of diabetes in critically ill COVID-19 patients: a national cohort study from Malta. | Dr. Diandra Vassallo (Msida, Malta) |
| 7659 | Pancycle aortic incompetence and total pulsus alternans – a dreaded clinico-echocardiographic duet | Dr. Bhargava Devarakonda (Pune, India) |
| 7667 | A case report: Acute Renal Failure in patient undergoing off-pump coronary artery bypass grafting, secondary to Cryptococcal laurentii infection | Dr. Dr. Jigisha Sachde (Ahmedabad, India) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6467 | Relative risks of death associated with fluid resuscitation regime in the first 24 hours after burn | Prof. Dr. Monika Belba (Tirana, Albania) |
| 6791 | Pediatric polytrauma with massive transfusion and secondary extremity compartment syndrome | Dr. Hrvoje Vucemilovic (Split, Croatia) |
| 6836 | Out-of-hospital cardiac arrest (CA) due to accidental hypothermia. Case report | Mrs. Sara Garcia Ballester (L'Hospitalet de Llobregat, Spain) |
| 7163 | Changes in the functional state of platelets in patients with polytrauma: prospective cohort observational study | Dr. Olha Filyk (Lviv, Ukraine) |
| 7204 | Altered ionized calcium levels on admission are associated with increased mortality and coagulopathy after major trauma. A retrospective analysis from the TraumaRegister DGU®. | Dr. Dries Helsloot (Kortrijk, Belgium) |
| 7264 | Does the use of a mere audio-based application for smartphones improve bystanders' resuscitation performance and decrease the barriers to start Basic Life Support – A randomized controlled simulation study | Mrs. Stefanie Stech (Munich, Germany) |
| 7361 | Out-of-hospital cardiac arrest: does the location matter? | Mr. Daniel Goudkamp (München, Germany) |
| 7388 | Long-term survival after out-of-hospital cardiac arrest: A systematic review and individual patient data meta-analysis | Dr. Simon Adrian Amacher (Basel, Switzerland) |
| 7399 | A struggle for breath: management of acute Thoracic Compartment Syndrome in a burnt patient - case report | Dr. Carolina Sousa Dias (Lisbon, Portugal) |
| 7424 | A successful case of an acquired methemoglobinemia treated with methylene blue | Dr. Daniela Almeida (Porto, Portugal) |
| 7438 | Clinical characteristics and survival of in-hospital cardiorespiratory arrest (IHCA) in a level one hospital. Observational retrospective analysis. | Dr. Maite Sanz Iturbe (L'Hospitalet de Llobregat, Spain) |
| 7456 | Relationship of fluid load and sodium needs during resuscitation of burn patients | Prof. Dr. Monika Belba (Tirana, Albania) |
| 7463 | Correlation between meteorological factors, air pollution and the number of emergency medical service dispatches with respect to acute coronary syndrome in Munich 2014-2017 | Mrs. Sabine Weingast (Bad Aibling, Germany) |
| 7541 | Is it possible to predict first failed intubation attempt? A prospective cohort | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7542 | Comparison between videolaryngoscopes and Macintosh laryngoscope for failed first intubation attempt: a systematic review with trial sequential analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7543 | Comparison between videolaryngoscopes with Macintosh and hyperangulated blades for failed first intubation attempt: a systematic review with trial sequential analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7590 | Anesthetic management of an acquired tracheal fistula - fibroscopy throughout the process: a case report | Dr. Daniel Ramos Afonso Guimarães Teles (Porto, Portugal) |

RESPIRATION AND AIRWAY MANAGEMENT



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6463 | Safety of high-flow nasal cannula in gastrointestinal endoscopy sedation | Dr. Indra Danny (Heidelberg, Australia) |
| 6485 | When laryngeal mask saves a newborn's life - Case Report | Dr. Leonor Lemos (Porto, Portugal) |
| 6544 | Awake fiberoptic intubation in a difficult airway with tracheal stenosis – is “Ketodex” a player? | Dr. Tânia Martins (Almada, Portugal) |
| 6570 | Virtual reality and 3D printing in clinical anesthesia; 18 months experience in a large, single medical center | Dr. Ruth Shaylor (Tel Aviv, Israel) |
| 6612 | Awake fiberoptic intubation in Morbihan syndrome: a case report | Dr. Murat Tümer (Ankara, Turkey) |
| 6625 | Video-laryngoscope versus macintosh laryngoscope in nasotracheal intubation | Mrs. ketata Hend (sfax, Tunisia) |
| 6633 | CPAP+4 versus ShamCPAP for radiofrequency ablation of primary and metastatic lung cancer under procedural sedation and analgesia. A prospective randomized control trial. | Prof. Dr. Enrique Carrero (Barcelona, Spain) |
| 6668 | Novel video Assisted Oro-tracheal Intubation Device “Nour’s Video assisted airway” | Dr. sameh Nour (Los Angeles, United States) |
| 6669 | Objective airway assessment and predictability of difficult intubation: time to be more accurate. | Dr. Siarhei Kastsiuchenka (Abu Dhabi, United Arab Emirates) |
| 6684 | Videolaryngoscopy - every rose has its thorn! | Dr. Sónia Moreira (Lisboa, Portugal) |
| 6688 | How to manage the airway of a patient with severe tracheal stenosis secondary to infiltration by epidermoid carcinoma of the oesophagus? | Ms. Cristina Francisco Iglesias (Santiago de Compostela, Spain) |
| 6726 | Airway management in a patient with aberrant right subclavian arteryaneurysm | Dr. Lady Carolina Barrera Bohórquez (Barcelona, Spain) |
| 6736 | Acute malnutrition as a marker of difficult weaning from mechanical ventilation and worse outcome in children: a cohort prospective observational study | Dr. Olha Filyk (Lviv, Ukraine) |
| 6780 | Difficult airway management: Be prepared for the rarest scenario | Dr. Diana Guimarães (Évora, Portugal) |
| 6831 | High-flow nasal cannula oxygen therapy implementation at emergency tracheostomy in the operating room | Dr. Muserref Beril Dincer (Istanbul, Turkey) |
| 6834 | Tracheal rupture during emergency endotracheal tube exchange in a HDU setting. A case report. | Dr. DIMITRIOS KATSAROS (Athens, Greece) |
| 6881 | Combined airway technique in a patient with tracheal stenosis following intubation and ventilation for Covid-19 pneumonia | Dr. Olivia Dow (Guildford, United Kingdom) |
| 6897 | Blind vs videolaryngoscope guided laryngeal mask insertion: a prospective randomized comparison of oropharyngeal leak pressure and fiberoptic grading | Prof. Dr. Kemal Tolga Saracoglu (Istanbul, Turkey) |
| 6900 | Impact of video games on tarining - can it change the game of endotracheal intubation? | Prof. Dr. Kemal Tolga Saracoglu (Istanbul, Turkey) |
| 6915 | Evaluation of Video Mask, a new SAD device with a camera and optical lighting, in a case serie of patients. | Dr. Eugenio Martinez-Hurtado (MADRID, Spain) |
| 6938 | Shoulder arthroscopy and fluid extravasation: a rare but potentially fatal complication | Dr. Marta Laranjo (Leiria, Portugal) |
| 6962 | Preoperative airway assessment indices for difficult intubation prediction | Mrs. Maria Tzima (Thessaloniki, Greece) |
| 7001 | Issues with submental intubation | Dr. João Barata (Lisboa, Portugal) |
| 7011 | Ultrasound-based assessment of hyomental distance for prediction of difficult airway in the obese Indian population | Dr. Amit Sharma (Birmingham, United Kingdom) |
| 7012 | NOONAN SYNDROME – A CASE OF DIFFICULT AIRWAY MANAGEMENT | Dr. Ana Rodrigues (Almada, Portugal) |
| 7023 | A case of a “shared” airway – anterior cervical spine surgery in a tracheostomized patient | Dr. Rui Santos (Penafiel, Portugal) |
| 7030 | Food Aspiration or Congenital Hypoplastic Lung in 21 Old Girl with Cerebral Palsy: Acute Respiratory Failure | Dr. Ertay Boran (Düzce, Turkey) |
| 7069 | Patient safety during deep sedation with propofol in a Turkish university hospital | Dr. Meneske Ozcelik (Ankara, Turkey) |
| 7085 | Negative pressure pulmonary edema following reversal of neuromuscular blockade | Dr. Joana Tinoco (Setubal, Portugal) |
| 7092 | The use of the delayed sequence intubation technique in the emergency :a narrative review | Mr. Raphael de Mattos (Belo Horizonte, Brazil) |

RESPIRATION AND AIRWAY MANAGEMENT



| | | |
|------|--|---|
| 7099 | Emergent tracheostomy in a critical airway – which anesthesia to use? | Dr. Daniel Rodrigues (Porto, Portugal) |
| 7117 | Difficult Supraglottic Airway Ventilation : A prospective observational study to assess the performance of supraglottic airway device (The SAVE Study) | Dr. Muhammad Qureshi (Doha, Qatar) |
| 7121 | Successful airway management of a patient with an intrathoracic goiter: a case report | Dr. Ana Duarte (Lisboa, Portugal) |
| 7123 | Awake tracheostomy with BiPAP: A case report. | Mr. Jorge Uncio Veyrat (Valencia, Spain) |
| 7137 | Difficult airway management in an ankylosing spondylitis and rheumatic arthritis patient | Dr. Paula Agostina Vullo (Madrid, Spain) |
| 7148 | The challenging anaesthetic approach in a patient with major facial deformity – Case Report | Dr. Susana Pires de Oliveira (Evora, Portugal) |
| 7184 | The factors affecting difficult airway management in obese patients: Single-center, retrospective study | Dr. Basak Akca (, Turkey) |
| 7200 | Review of the risk of transmission of SARS-COV2 in patients with high-flow nasal cannula. | Dr. Cristian Palau Marti (Valencia, Spain) |
| 7223 | Respiratory mechanics and mechanical power during low vs. high positive end-expiratory pressure in obese surgical patients - A Substudy of the PROBESE Randomized Controlled Trial | Dr. Martin Scharffenberg (Dresden, Germany) |
| 7234 | Efficacy of Dexmedetomidine in Drug Induced Sleep Endoscopy: a case report. | Dr. Rita Arantes (Braga, Portugal) |
| 7284 | Laryngeal mask airway use is not inferior to endotracheal tube management in catheter ablation procedures for atrial fibrillation: a randomized controlled trial | Ms. Elizabeth Zhang (Richmond, United States) |
| 7312 | Practice of oxygen use in anaesthesiology – Results of a survey of the European Society of Anaesthesiology and Intensive Care | Dr. Martin Scharffenberg (Dresden, Germany) |
| 7357 | Minimizing lung injury during laparoscopy in steep Trendelenburg position | Dr. Gregory De Meyer (Edegem, Belgium) |
| 7387 | AIRWAY MANAGEMENT IN LAPAROSCOPIC CHOLECYSTECTOMY – A COMPARATIVE ANALYSIS | Prof. Dr. Nebojsa Videnovic (Kosovska Mitrovica, Serbia) |
| 7413 | Looking beyond first impressions – unexpected airway trauma in the emergency room: a case report | Dr. Filipe André Da Silva Pereira (Lisbon, Portugal) |
| 7433 | Dexmedetomidine and ketamine: a safe alternative for thyroplasty surgery | Dr. Rita Rodrigues Oliveira (Vila Franca de Xira, Portugal) |
| 7443 | The incidence of a positive AIR-test under general anesthesia for surgery and the occurrence of postoperative pulmonary complications (PPC) | Ms. Liselotte Hol (Amsterdam, Netherlands) |
| 7471 | An unlikely incident during videolaryngoscopy intubation | Dr. Beatriz Leal (Lisboa, Portugal) |
| 7488 | Tapia’s syndrome after orotracheal intubation: A case report. | Dr. Cristina Coto (Oviedo, Spain) |
| 7521 | Ranking videolaryngoscopes and Macintosh laryngoscope for orotracheal intubation in pediatrics: a systematic review with network meta-analysis. | Ms. Stéphanie Leite Pessoa de Regueira (Campina Grande, Brazil) |
| 7522 | Comparison between video laryngoscopy and direct laryngoscopy for failed first intubation attempt in children: a systematic review with meta-analysis of randomized clinical trials. | Ms. Stéphanie Leite Pessoa de Regueira (Campina Grande, Brazil) |
| 7523 | Subcutaneous emphysema of head and neck in the recovery room, as a complication of post-intubation tracheal laceration, a case report | Mrs. Marta Silvestre Cepeda (Reus, Spain) |
| 7525 | Rupture risk: unexpected giant bullous emphysema | Dr. Rita Conde (Lisbon, Portugal) |
| 7530 | Difficult airway in a fire scenario: case report | Dr. Rita Cerqueira (Lisboa, Portugal) |
| 7537 | Comparison between videolaryngoscopes with Macintosh and hyperangulated blades for failed intubation: a systematic review with trial sequential analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7539 | Increased chances of ideal intubating conditions with videolaryngoscopes compared to Macintosh laryngoscope: a systematic review and meta-analysis of randomized controlled trials. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7540 | Ranking videolaryngoscopes for glottic visualization: a systematic review with network meta-analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7544 | Ranking videolaryngoscopes for difficult intubation: a systematic review with network meta-analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |

RESPIRATION AND AIRWAY MANAGEMENT



| | | |
|------|---|---|
| 7545 | Comparison between videolaryngoscopes and Macintosh laryngoscope for failed intubation: a systematic review with trial sequential analysis. | Mr. Gustavo Pinto (Campina Grande, Brazil) |
| 7568 | A novel application of 2019 Difficult Airway Society guidelines for Awake Tracheal Intubation using Videolaryngoscopy (ATI:VL) for a diagnostic biopsy of a hypopharyngeal tumour | Dr. Sinead J O'Brien (Dublin, Ireland) |
| 7605 | Major airway bleeding during renal transplantation surgery - getting to know Osler-Weber-Rendu Syndrome (ORWS) | Dr. Nuno André de Sousa Maia (Coimbra, Portugal) |
| 7609 | Airway management in the prone position: A case of impaled knife injury in the posterior spine | Dr. Leonardo Ferreira (Porto, Portugal) |
| 7621 | Nebulized tranexamic acid in a recurrent airway-obstructing blood clot from the lower airway – a case report | Mr. Rock Ibrahim (Warsaw, Poland) |
| 7635 | Right lung obstruction after endotracheal tube exchange: Case report | Dr. Inês Vieira (Viseu, Portugal) |
| 7642 | Mucopolysaccharidosis type IIIA - anesthesia approach, a case report | Ms. Sarah Mota Oliveira (Lisboa, Portugal) |
| 7645 | Anesthetic Management in a Patient with Treacher-Collins Syndrome Undergoing Cleft Lip Repair | Dr. Görkem Usta (Ankara (hacettepe), Turkey) |
| 7655 | Emergency Difficult Airway Management in a Mucopolysaccharidosis Type III Patient: Case Report | Dr. Elif Kilic Cakmak (Ankara, Turkey) |
| 7656 | Can't Intubate, can't ventilate" situation in patient with unexpected superior vena cava syndrome | Dr. Carlos Manuel Sánchez (Valencia, Spain) |
| 7671 | Difficult airway management: the importance of defining alternative plans and their inexistence. | Dr. Inês Silva (Porto, Portugal) |
| 7674 | Anaesthetic challenges of Beckwith-Wiedemann syndrome: a case report. | Dr. Sara Raquel Gonçalves Ribeiro (Porto, Portugal) |

TRANSFUSION, HAEMOSTASIS AND THROMBOSIS



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6586 | Perioperative continuation of blood thinners did not increase intraoperative blood loss and blood transfusion rate in cystectomy patients: an observational cohort study. | Dr. Christian Beilstein (Bern, Switzerland) |
| 6632 | Low anti-factor Xa activity is not associated with venous thromboembolism in critically ill patients: a retrospective observational study | Dr. Christoph Dibiasi (Vienna, Austria) |
| 6651 | CLINICAL RELEVANCE OF POSTOPERATIVE SECOND DOSE OF TRANEXAMIC ACID IN TOTAL KNEE ARTHROPLASTY SURGERY. | Dr. Ana Pardo Bedia (Barcelona, Spain) |
| 6694 | Predictors for perioperative blood transfusion in patients undergoing cystectomy and urinary diversion and development of a nomogram: An observational cohort study | Dr. Dominique Engel (Bern, Switzerland) |
| 6767 | First PBM's Pillar evolution in the last 4 years of oncologic colorectal surgery: A Third level Hospital experience. | Dr. Sheila López García (Hospitalet Llobregat (Barcelona), Spain) |
| 6813 | Investigation of the functional state of the hemostatic system using a test of double local hypoxia of the upper limb by a low-frequency piezoelectric thromboelastography (LPTEG) in patients with morbid obesity. | Dr. Roman Sukhonos (Odessa, Ukraine) |
| 6833 | Thrombotic risk during laparoscopic interventions in abdominal surgery in patients with morbid obesity. | Dr. Roman Sukhonos (Odessa, Ukraine) |
| 6837 | Targeted bleeding management guided by noninvasive hemoglobin measurement in patients undergoing major surgery: a prospective randomized controlled study | Prof. Dr. Ayten Saracoglu (Pendik- Istanbul, Turkey) |
| 6993 | Fibrinogen measurement: Which value is the right one? Comparison of viscoelastic and standard laboratory methods. | Dr. Isabell Pekrul (Munich, Germany) |
| 7082 | Changes in the hemostasis system in patients undergoing endoscopic gynecological intervention under intravenous anesthesia with spontaneous breathing. | Dr. Roman Sukhonos (Odessa, Ukraine) |
| 7108 | Successful perioperative management of a patient with severe hemophilia A: a case report | Dr. Carolina Sousa Dias (Lisboa, Portugal) |
| 7125 | Biochemical quality of OctaplasLG® frozen and freeze-dried products | Dr. Andrea Heger (Vienna, Austria) |
| 7133 | Association of perioperative prothrombin complex concentrate and fibrinogen concentrate administration with thrombotic complications after liver transplantation | Mr. Carlo Riede (Heidelberg, Germany) |
| 7192 | Continuous Hemoglobin Measurement during Frontal Advancement Operations Can Improve Patient Outcomes | Dr. Ruslan Abdullayev (Istanbul, Turkey) |
| 7299 | Clinical Effectiveness of Intraoperative Cell Salvage in Aseptic Revision Total Hip Arthroplasty: a Monocentric 10-years Experience Retrospective Study | Dr. Nicolas Piette (Liège, Belgium) |
| 7345 | Acute ischaemia in lower limb after complex spinal surgery: case report | Mrs. Elena Campistol Mas (Hospitalet de Llobregat, Spain) |
| 7478 | Rectus sheath hematoma and an elevated aPTT: how to manage? | Dr. Flávia Duarte (Almada, Portugal) |
| 7489 | Perioperative management of a patient with Bombay blood phenotype and chronic hip arthroplasty infection undergoing hip replacement surgery. | Dr. Adela Gardeta (Madrid, Spain) |
| 7618 | MANAGEMENT OF MASSIVE HEMORRHAGE IN A PATIENT PENDING A HEART TRANSPLANT | Dr. Ángel Becerra Bolaños (Las Palmas Gran Canaria, Spain) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|--|---|
| 6469 | Retrospective study of feasibility of opioid-free anaesthesia on acute postoperative pain management and the appearance of postoperative complications in cytoreductive surgery (CRS) with Hyperthermic intraperitoneal chemotherapy (HIPEC). A pilot study. | Dr. Guillermo Isidro (Sant Joan Despi, Barcelona, Spain) |
| 6470 | Preoperative eConsult quality: safety and patient experience | Dr. Toni Klok (Amsterdam, Netherlands) |
| 6472 | Monitoring of the respiratory health using variability and frequency analysis of the thoracic movement | Dr. Catherine Boichat (Fort de France, Martinique) |
| 6476 | Early changes over time in QoR-15 score are associated with the occurrence of postoperative complications | Dr. Maëva Campfort (Angers Cedex 9, France) |
| 6482 | Improvement in pre-operative pregnancy assessment in female patients undergoing non- obstetric or non-gynaecological surgery after introduction of a checklist | Dr. Thomas Martin (Heidelberg, Australia) |
| 6511 | Impact of preoperative treatment with antidepressants and/or anxiolytics on outcomes after colorectal surgery with an enhanced recovery program: A monocentric retrospective study | Dr. Pierre-Yves Hardy (Liège, Belgium) |
| 6518 | Trans oesophageal doppler corrected flow time versus plethysmographic variability index for goal directed Fluid management in cirrhotic patients during liver resection. A randomized controlled trial. | Prof. Khaled Yassen (Shebeen Elkom, Egypt) |
| 6523 | Anaesthetic management of lung transplantation and postoperative outcomes: any benefit with sevoflurane or remifentanyl? | Dr. Diogo Costa (Funchal, Portugal) |
| 6524 | 30-day and 1-year mortality perioperative predictors in lung transplantation surgery: a single centre retrospective study | Dr. Diogo Costa (Funchal, Portugal) |
| 6549 | The Impact of Low BMI on Surgical Outcomes Post Emergency Surgery in a Quaternary Centre in Australia | Dr. Bobby Ou Yang (Heidelberg, Australia) |
| 6590 | Whether prophylactic administration of dexamethasone is effective in preventing cognitive decline after cardiac surgery? A randomised controlled trial with 4-year follow-up | Dr. Sandro Glumac (Split, Croatia) |
| 6626 | Effect of heart rate control with ivabradine on myocardial injury after non-cardiac surgery: a single centre, randomized controlled, double-blind feasibility pilot trial (PROTECTIN Pilot - NCT04436016). An update of implementation. | Dr. Marion Jill White (Geneva, Switzerland) |
| 6628 | Can machine learning algorithms predict perioperative adverse events and identify patients at risk for hypothermia? | Dr. Christoph Dibiasi (Vienna, Austria) |
| 6630 | Postoperative delirium (POD) in patients undergoing cardiac surgery with cardiopulmonary bypass (CPB) is associated with higher perioperative serum levels of neurofilament light (NFL) | Dr. Céline Khalifa (Brussels, Belgium) |
| 6644 | Milking phenomenon and pheochromocytoma surgery | Dr. Aina Serrallonga Castells (Barcelona, Spain) |
| 6657 | The role of adipose tissue in the metabolic regulation of the stress response to major surgery | Dr. Darell Tupper-Carey (Gorleston, Great Yarmouth, United Kingdom) |
| 6670 | Mortality in Nonagenarian Patients following Hip Fracture Surgery in an Australian single centre cohort study | Dr. Bobby Ou Yang (Heidelberg, Australia) |
| 6703 | Recording of preoperative fasting and evaluating of adherence to preoperative fasting guidelines. | Dr. Mireille van Stijn (Amsterdam, Netherlands) |
| 6710 | Association of lowest mean arterial pressure maintained for 5 cumulative minutes with postoperative nausea and vomiting: A retrospective database analysis of 38,085 patients. | Dr. Mathias Maleczek (Vienna, Austria) |
| 6729 | Monday night fever: a case of postoperative unexplained hyperthermia | Dr. Tânia Martins (Almada, Portugal) |
| 6746 | An investigation of correlations between plasma metabolic mediators during the stress response to major surgery. | Dr. Darell Tupper-Carey (Gorleston, Great Yarmouth, United Kingdom) |
| 6764 | Does Airtest predict pulmonary and systemic complications after laparoscopic surgery? | Dr. Candelaria Delgado Alonso (Las Palmas de Gran Canaria, Spain) |
| 6849 | Paroxysmal Nocturnal Hemoglobinuria in the OR: case report | Dr. Tiago Miguel Cardoso (Porto, Portugal) |
| 6886 | Perioperative anaemia and its consequences in major gynae-oncology surgery | Dr. Stephen John (London, United Kingdom) |



| | | |
|------|---|--|
| 6912 | Association of the admission values of chronic inflammatory biomarkers with postoperative delirium in patients undergoing hip fracture fixation under spinal anaesthesia | Dr. Maria Ntalouka (Larissa, Greece) |
| 6920 | Anaesthesia management for small intestine Neuroendocrine Tumors - case report | Dr. Daniela Costa (Setubal, Portugal) |
| 6921 | McKittrick-Wheelock syndrome: not just a fancy name | Dr. Filipa Portela (Lisboa, Portugal) |
| 6966 | Is the STOP-BANG questionnaire a good tool for the obstructive sleep apnoea diagnosis screening on the pre-anesthetic visit? | Dr. Miquel Juarez-Pomes (Sabadell, Spain) |
| 7026 | Impact of sex on postoperative mortality, admission in ICU and need of ventilation after elective non-cardiac surgery | Mr. Dimislav Ivanov Andonov (Munich, Germany) |
| 7037 | Posterior reversible encephalopathy syndrome - Trastuzumab, cyclophosphamide and methotrexate related? | Ms. Mariana Louro Santos (Lisboa, Portugal) |
| 7057 | TLR polymorphisms in patients with liver cirrhosis complicated with bacterial infection | Dr. Tleuberdi Kuandykov (Almaty, Kazakhstan) |
| 7065 | HEMODYNAMIC STABILITY AFTER SPINAL ANAESTHESIA AND CORRELATION WITH DELIRIUM ONSET IN PATIENTS UNDERGOING FEMORAL OSTHEOSYNTHESIS OR HIP REPLACEMENT | Dr. Stefano Tigano (Catania, Italy) |
| 7093 | Bariatric Surgery for Morbid Obesity: But where's the Morbidity? | Dr. Mark Oakey (Chichester, United Kingdom) |
| 7104 | Complications associated with intraoperative hypothermia: A monocentric observational Cohort Study | Dr. Cristina Rodríguez Alcalá (Madrid, Spain) |
| 7161 | Surgical Apgar Score, a good prognostication tool or predictor of intensive care unit admission? | Ms. Patrícia Nave (Lisboa, Portugal) |
| 7222 | Myocardial infarction after non-cardiac surgery | Mr. Marc Thorsten Schmidt (Cleveland, United States) |
| 7247 | Haemodynamic status of preoperative fasting patients in the university teaching hospital: a prospective ultrasound study | Dr. Marta Grynowska (Ivano-Frankivsk, Ukraine) |
| 7258 | Does pre-operative weight loss in patients with a body mass index of forty or greater improve outcomes following elective hip and knee arthroplasty? A 1-year retrospective observational study | Dr. Denise Gorey (Dublin, Ireland) |
| 7339 | Preoperative botulinum toxin in the surgical treatment of patients with loss of domain hernia. | Dr. Yaiza Beatriz Molero Díez (Zamora, Spain) |
| 7430 | A service evaluation investigating patient experience of pain following elective orthopaedic surgery at Orpington Hospital, UK | Dr. Nicola Kelly (London, United Kingdom) |
| 7445 | Alternatives to the anaesthetist-led preoperative evaluation in adults: a scoping review | Mr. Philip Jonker (CA Rotterdam, Netherlands) |
| 7483 | Quality of recovery and innate cytokine production capacity in patients undergoing low- versus standard pressure pneumoperitoneum during laparoscopic colorectal surgery (RECOVER): a randomized controlled trial | Ms. Kim Albers (Nijmegen, Netherlands) |
| 7497 | Quality indicators in tertiary centre anaesthesia: index data and the incidence of perioperative hypothermia at Queen Elizabeth Hospital Birmingham. | Dr. Lewis Davies (Birmingham, United Kingdom) |
| 7551 | Analysis of abnormal ECG findings in low Revised Cardiac Risk Index patients undergone non-cardiac surgeries: A Cross Sectional Study | Dr. Huda Zainal Abidin (Kota Bharu, Malaysia) |
| 7571 | Risk Factors of Acute Kidney Injury After Major Elective Non-Cardiac Surgery : A Prospective Observational Study | Dr. Demet Altun Bingöl (Istanbul, Turkey) |
| 7599 | Intra-operative ketamine administration is unassociated with an increase in the incidence of emergence delirium in laparoscopic surgeries: an observational study. | Dr. Diana Fonseca (Porto, Portugal) |
| 7607 | The effect of breathing exercise in the post-anaesthesia care unit on preventing atelectasis in the early period after open upper abdominal surgery: a randomised controlled trial | Prof. Ying Xiao (Guangzhou, China) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6466 | Development of a smartphone application for preoperative patient assessment | Prof. Dr. Albert Urwyler (Basel, Switzerland) |
| 6557 | Perioperative heat retention in prone spine surgery by covering with polyethylene garbage bags | Dr. Norihiro Sakai (Ichinomiya, Aichi, Japan) |
| 6601 | Auditing team briefing in elective vs. emergency cases in a district general hospital | Dr. Jane Doherty (Scunthorpe, United Kingdom) |
| 6682 | From the ambulatory care unit to the ICU: post-operative complications of functional endoscopic sinus surgery | Dr. Joana Maia (Evora, Portugal) |
| 6691 | Persistent wrist and forearm pain after admission to the Intensive Care Unit for SARS-CoV-2 pneumonia. What could be the cause? | Ms. Cristina Francisco Iglesias (Santiago de Compostela, Spain) |
| 6718 | Management of accidental high-dose epidural morphine administration in a deaf-mute patient | Dr. An Windels (Evora, Portugal) |
| 6893 | Management of predictable difficult airway in a Tricho-rhino-phalangeal syndrome (TRPS): The importance of always having a plan. | Dr. Olga de la Varga Martinez (Madrid, Spain) |
| 6898 | Simulation Training Results in Performance Retention of the Management of Operating Room Fires | Dr. Inna Pozin-Eidelman (Ramat Gan, Israel) |
| 6917 | Obstruction of an endotracheal tube placed in an emergency situation and Murphy's law: a case report. | Dr. Julia Regueira Cuiña (Santiago de Compostela, Spain) |
| 7032 | Improving safety with capnography in moderate-deep sedation for gastrointestinal endoscopic procedures. | Dr. Isabel Valbuena (Madrid, Spain) |
| 7040 | Local Anesthetic Systemic Toxicity (LAST): A retrospective two-year analysis in our institution. | Mr. Juan Francisco Aponte-Gatica (Ciudad Autónoma de Buenos Aires, Argentina) |
| 7048 | Should we avoid giving tranexamic acid for postcovid patients? Stroke in a postcovid patient undergoing major surgery | Dr. Büsra Gulsen (ANKARA, Turkey) |
| 7072 | Responding to power failure in the operating room with an anaesthetised patient undergoing major abdominal surgery: a case report | Dr. Jennifer Westwood (Bridgend, United Kingdom) |
| 7187 | Use of Perioperative Patient Audio Feedback to Improve Staff Morale | Mr. Ikenna Ibeanusi (Plymouth, United Kingdom) |
| 7395 | Improving patient safety standards for central venous catheter insertion in theatres at Royal Albert Edward Infirmary, Greater Manchester, UK | Dr. Joseph Derry (Greater Manchester, United Kingdom) |
| 7532 | Intraoperative anaphylaxis to gelatin - a difficult but life-saving diagnosis | Dr. Beatriz Leal (Lisboa, Portugal) |
| 7567 | Building a culture of patient safety: changes in opinions about appropriateness of the items of the WHO Safe Surgery Checklist among Belgian OR professionals between 2016 and 2021 | Dr. Arnaud Vallé (Gent, Belgium) |
| 7589 | Dr. Google, Anaesthesiologist? | Dr. André Rodrigues (Coimbra, Portugal) |
| 7673 | How to avoid Malignant Hyperthermia: a case report | Dr. Tiago Miguel Cardoso (Porto, Portugal) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|--|---|
| 6475 | Impact of operative delay on postoperative outcome in hip fracture patients treated with direct oral anticoagulants | Dr. Clémentine Marchandise (Brussels, Belgium) |
| 6551 | Ideal body weight based Remimazolam infusion is sufficient in senile mildly-obese patients. | Dr. Hiroshi SAKAMOTO (Sapporo, Japan) |
| 6635 | Development of an international postoperative delirium risk assessment model | Dr. Nayeli Schmutz Gelsomino (Zuerich, Switzerland) |
| 6673 | Routine Delirium Screening in PACU - A Cohort Study of over 1400 Elective Elderly Surgical Patients | Dr. Yotam Weiss (Tel Aviv, Israel) |
| 6936 | Clinical frailty scale: inter-rater reliability of retrospective scoring in emergency abdominal surgery. | Ms. Katarina Mari Fornæss (Bergen, Norway) |
| 7043 | Are frailty scores superior to the ASA score in predicting complications, in-hospital stay, readmissions and mortality in total knee replacement? A comparative study between octogenarian and septuagenarian patients | Dr. Agustina Castro Lalin (CABA, Argentina) |
| 7074 | 4 AT: A NEW TOOL FOR THE ASSESSMENT OF POST OPERATIVE DELIRIUM IN PATIENTS UNDERGOING ORTHOPEDIC SURGERY TREATED FOR FEMUR FRACTURE AND HIP REPLACEMENT | Dr. Stefano Tigano (Catania, Italy) |
| 7083 | Acidosis and lactatemia are predictive of 90-day mortality after surgical correction of hip fractures in elderly patients | Dr. Einat Refaeli - awin (Tel Aviv, Israel) |
| 7199 | Anaesthesia as a risk factor for cognitive decline: the effects of anaesthesia on long term cognitive functioning. A prospective cohort study | Mr. Christoph Pennings (Maastricht, Netherlands) |
| 7500 | External validation of the revised cardiac risk index (RCRI) and the geriatric-sensitive perioperative cardiac risk index (GSCRI) in patients more than 80 years old following surgery under spinal anaesthesia | Dr. Nirmeen Fayed (Dortmund, Germany) |
| 7524 | Surgical futility in elderly and super elderly patients - A retrospective cohort study | Dr. Shiri Zarour (Tel Aviv-Yafo, Israel) |
| 7555 | Peri-operative systemic and cerebral anti-inflammatory properties of TRAM34, a KCa3.1 channel blocker, in an aging murine model of perioperative neurocognitive disorders. | Dr. Helena Cuttaia (Charleroi, Belgium) |
| 7566 | Effect of low-flow anaesthesia on postoperative cognitive function in elderly patients | Dr. Onur Okur (ISTANBUL, Turkey) |
| 7629 | The Relationship of Postoperative Cognitive Dysfunction and Brain Injury Biomarkers in Geriatric Urologic Oncologic Surgery | Dr. Emre Senturk (Istanbul, Turkey) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|---|
| 6505 | Hybrid high-fidelity simulation of emergency cricothyroidotomy using a 3D-printed larynx and a simulated patient | Dr. Sabine Nabecker (Bern, Switzerland) |
| 6536 | Teaching medical students iv cannulation: A rater-blinded randomized controlled trial comparing written instructions, hands-on exercises and mental imagery | Dr. Joana Berger-Estilita (Bern, Switzerland) |
| 6542 | Exploring learning strategies for the experienced trainee in specialist training. Are they able to use what they have learned? | Dr. Kim Ekelund (Copenhagen, Denmark) |
| 6616 | How do coping styles differ according to teamwork levels of medical branches? Anesthesiologists vs. Dermatologists | Dr. Murat Tümer (Ankara, Turkey) |
| 6662 | Variability in Exposure to Intrathoracic Transplant Procedures During Anesthesiology Residency: A Review of Argentine Residency Programs during 2015-2019. | Mr. Juan Francisco Aponte-Gatica (Ciudad Autonoma de Buenos Aires, Argentina) |
| 6702 | Evaluation of the impact of the COVID-19 pandemic on the training activity in anaesthesiology trainees using a computerized record | Dr. Vicente López Gil (Alicante, Spain) |
| 6714 | Predatory Journals: An analysis of emails regarding time patterns, contentual aspects and the selection criteria used to contact scientists | Prof. Dr. Jochen Hinkelbein (Cologne, Germany) |
| 6776 | Escape Room as part of medical students education in anesthesiology and intensive care – Preliminary experience | Dr. Dana Yahav-Shafir (Ramat Gan, Israel) |
| 6818 | Using gamification to improve the learning experience of CPR algorithms: The Simgame Project. | Dr. Joaquín González Fernández (Alicante, Spain) |
| 6967 | Why Anesthesia? A national survey of the 1st year Anesthesiology trainees at Portugal – preliminary data. | Dr. Alfredo Mendes-Castro (Porto, Portugal) |
| 7035 | Candidate perception on comfort and perceived stress post major trauma simulation teaching- A post simulation scenario survey. | Dr. Velitchka Schembri Agius (L-Imsida, Malta) |
| 7055 | To study subjective sleep quality in soldiers deployed at high altitude during acclimatization using Groningen sleep evaluation questionnaire. | Dr. Anish Kumar Adya (Panchkula, India) |
| 7145 | Anaesthesia gas capture system pilot program - implementation and first impressions | Dr. Ana Isabel Castro (Matosinhos, Portugal) |
| 7171 | Targeted simulation training improves TEE performance of young residents in intensive care. | Dr. WALID OULEHRI (Strasbourg, France) |
| 7181 | Morbidity and Mortality meetings: a strategic tool in improving safe surgery in resource limited settings | Dr. Francis Kalipinde (Lusaka, Zambia) |
| 7266 | Anaesthesia education project: preparedness for anaesthesia rotation survey | Dr. Bridget Bishop (Heidelberg, Australia) |
| 7452 | Self-perception of work performance and the obstacles to performance quality: the vision of Portuguese Anesthesiologists | Dr. André Rodrigues (Coimbra, Portugal) |
| 7575 | An introduction to ultrasound guided peripheral vascular access for foundation programme doctors. | Dr. Adam Mounce (Newport, United Kingdom) |
| 7597 | E-learning perceptions and satisfaction among anaesthesia residents during COVID-19 pandemic. | Dr. Huda Zainal Abidin (Kota Bharu, Malaysia) |
| 7616 | Emotional intelligence as a determinant factor in job satisfaction of anaesthesiologists | Dr. André Rodrigues (Coimbra, Portugal) |
| 7653 | Steady Medical Officer Readiness Training: Increasing preparedness for COVID-19 Intensive Care Unit in Singapore | Dr. Yen Yeen Teh (Singapore, Singapore) |



| Ref. | ABSTRACT TITLE | ABSTRACT PRESENTER |
|------|---|--|
| 6532 | One Anesthesia Machine Supporting Multiple COVID-19 Ventilated Patients | Dr. James Paul (Oklahoma City, United States) |
| 6533 | Pneumatic-Driven Ventilator Solution for COVID-19 Ventilator Supply-Demand Mismatch | Dr. James Paul (Oklahoma City, United States) |
| 6582 | TRACHEAL INTUBATION WHILE WEARING PERSONAL PROTECTIVE EQUIPMENT IN SIMULATION STUDIES: A SYSTEMATIC REVIEW AND META-ANALYSIS WITH TRAIL-SEQUENTIAL ANALYSIS. | Dr. Alberto Morgana (Catania, Italy) |
| 6619 | Safe use of FFP2 masks: The current certification method has no predictive value for the fit and safety of face masks when used by health care workers and is disproportionately unsafe for women | Mrs. Sara Galli (Den Haag, Netherlands) |
| 6623 | An old foe: Cytomegalovirus superinfection in Covid-19 patients | Dr. Murat Tümer (Ankara, Turkey) |
| 6627 | Influence of the COVID-19 pandemic and general containment on the per- and post-operative complications of cesarean section | Dr. ketata Hend (sfax, Tunisia) |
| 6649 | Females with chronic pain experienced a more pronounced aggravation than males during the first COVID-19 lockdown | Dr. Kordula Lang-Illievich (Graz, Austria) |
| 6671 | Dynamics of coagulopathy and clinical outcomes in severe COVID-19 patients | Dr. Reut Schwartz (Tel Aviv, Israel) |
| 6741 | Impact of the SARS-CoV-2 (COVID19) pandemic on the morbidity and mortality of high risk patients undergoing surgery: A non-inferiority study | Dr. Marta Caballero Milán (L'Hospitalet de Llobregat, Spain) |
| 6766 | Skin failure, another aspect of the COVID-19 narrative, following the second Astra-Zeneca vaccine (AV) - toxic epidermal necrolysis (TEN) on the spectrum of Steven-Jonson syndrome (SJS) | Dr. Tharindu Weerasesara (Enniskillen, County Fermanagh, Northern Ireland, United Kingdom) |
| 6769 | Influence of Covid-19 pandemic on waiting time for emergency surgery | Dr. Marin Mandic (ZAGREB, Croatia) |
| 6779 | Stress factors in the Intensive Care Unit during the COVID19 pandemic | Dr. Elisabeth Nagy (Stockholm, Sweden) |
| 6788 | Characteristics and outcome of 129 COVID-19 intensive care patients at a major teaching hospital in Vienna during the second wave | Mr. Florian Zitzmann (Vienna, Austria) |
| 6811 | Going beyond ECMO treatment: activity of a regional referral center in the context of COVID-19 pandemic | Dr. Agnese Accogli (Turin, Italy) |
| 6814 | How did the COVID-19 pandemic confinement period affect surgical emergencies? A descriptive approach. | Dr. Hugo Rivera (Barcelona, Spain) |
| 6823 | Unexpected Difficult Airway Management in COVID-19 pandemic time. Safe airway management needs to be reviewed | Dr. Eugenio Martinez-Hurtado (MADRID, Spain) |
| 6832 | Anesthetic management of pulmonary transplantation due to COVID-19 irreversible lung injury | Mrs. Luiza Vettorazzo (São Paulo, Brazil) |
| 6847 | NEWS scale prognostic value in patients with pulmonary embolism and COVID-19 | Dr. Kristina Kadantseva (Moscow, Russia) |
| 6850 | Organization of intensive care service for patients with COVID-19 during pandemic in the Almaty city | Dr. Tleuberdi Kuandykov (Almaty, Kazakhstan) |
| 6870 | Anemia and elevated cardiac biomarkers in severe COVID-19 at the time of admission to ICU at a major teaching hospital in Vienna during the second wave | Mr. Florian Zitzmann (Vienna, Austria) |
| 6885 | Development of symptoms in asymptomatic SARS-CoV-2 positive patients pre anesthetic procedure | Dr. Ana Lúcia Dias (Porto, Portugal) |
| 6903 | Prevalence and clinical characteristics of COVID-19 in perioperative period in patients underwent urgent surgeries during the first wave COVID-19. | Mr. Juan Martín (Barcelona, Spain) |
| 6943 | The beneficial effects of Tocilizumab in the management of critically ill patients with COVID-19. A single center randomized controlled trial. | Dr. Mohammad Khaled Ibrahim Abuarafah (Jerusalem, Israel) |
| 6952 | Pre-hospital emergency medicine in COVID times: a comparative analysis | Dr. João Oliveira (Coimbra, Portugal) |
| 6953 | The prospect of using the ESP-block for anesthesia of patient with COVID - 19. Clinical case. | Prof. Dr. Oleksii Domoratskyi (Kiev, Ukraine) |
| 6990 | Airway pressure release ventilation (APRV) and duration of mechanical ventilatory support | Dr. Maja Stojanovic (Beograd, Serbia) |
| 7045 | COVID era : Regional anesthesia expertise, a boon or a necessity? | Dr. Prajwala Shankara Kaushik (Mumbai, India) |
| 7079 | Prevalence of transmission of SARS-CoV-2 to healthcare workers following intubation of COVID-19 patients in Polish healthcare facilities | Mr. Rock Ibrahim (Warsaw, Poland) |



| | | |
|------|---|--|
| 7091 | Acute kidney injury in COVID-19 intensive care patients without previous renal disease – a predictor for mortality? | Ms. Katharina Oberneder (Vienna, Austria) |
| 7100 | The COVID-19 pandemic reality lived in a tertiary maternity | Dr. Ana Correia (Coimbra, Portugal) |
| 7157 | TIMING, a fine line between life and death of mechanically ventilated COVID-19 patients. | Dr. Filip Peris (Split, Croatia) |
| 7166 | COVID-19 screening in asymptomatic pregnant patients when labor epidural analgesia is required after non-scheduled admission for delivery. Any chances to consider an alternative to PCR? | Dr. Alba Gallo Carrasco (Madrid, Spain) |
| 7213 | The 5th day on the ICU: Do laboratory parameters allow a distinction in respect to outcome in COVID-19 patients? | Ms. Katharina Oberneder (Vienna, Austria) |
| 7219 | CSF positivity in COVID-19 patients – Anesthesiology as an ally in systematic microbiological screening | Dr. Tomás Elvas-Leitão (Lisboa, Portugal) |
| 7226 | Post-ICU Syndrome in a Tertiary Hospital. The great forgotten. | Dr. Cristian Palau Marti (Valencia, Spain) |
| 7230 | More data about the role of thrombosis and inflammation in Covid-19 outcomes | Dr. Marta Barquero Lopez (Barcelona, Spain) |
| 7259 | Venovenous extracorporeal membrane oxygenation support (ECMO) for COVID-19-related acute respiratory failure (ARDS) in 71 year old man at non-ECMO center | Dr. Olena Khomenko (Kyiv , Ukraine) |
| 7369 | Incidence of difficult airway in patients with Mucormycosis, an epidemic amidst COVID19 pandemic- A retrospective study. | Dr. Darshana Rathod (Jodhpur, India) |
| 7400 | Infectious complications in COVID-19 critically ill patients: a retrospective cohort study | Dr. Laurenz De Donder (Hasselt, Belgium) |
| 7428 | Changes on the treatment and management of pain, in an Acute Pain Unit, during Sars-CoV-2 pandemic | Dr. Ana Correia (Coimbra, Portugal) |
| 7470 | Risk factors associated with mortality in patients with severe COVID-19 | Mr. Ivan Khapov (Moscow , Russia) |
| 7511 | Facial ulcer caused by non-invasive mechanical ventilation in a patient with COVID-19. | Dr. Elena Méndez Martínez (San Sebastian, Spain) |
| 7552 | Pathological skeletal muscle features in critically ill patients infected with SARS-CoV-2: a prospective observational cohort study | Dr. Toon Mostien (Hasselt, Belgium) |
| 7580 | The impact of Covid-19 on emergency surgery at Birmingham Heartlands, Good Hope and Solihull Hospitals. | Dr. Leila Quffa (Birmingham, United Kingdom) |
| 7606 | Inhaled nitric oxid in severe pulmonary hypertension secondary to hypoxic vasoconstriction in Covid 19 pneumonia | Dr. Marc Vives Santacana (Girona, Spain) |
| 7665 | HEALTHCARE-ASSOCIATED INFECTIONS IN ICU DURING THE COVID-19 PANDEMIC: PERIODIC PREDISPOSING FACTORS, AGENTS AND ANTIMICROBIAL SENSITIVITY PROFILES | Dr. Nihan Altintepe (ISTANBUL, Turkey) |
| 7679 | Inhalation sedation and COVID-19 ARDS | Dr. Guillermo Flors Catalán (Alicante, Spain) |
| 7680 | A Novel Combined Nasal Mask-Face Tent Provided Continuous Pressure-Control Ventilation/Oxygenation and Reduced Aerosol/Droplet Spread while Teaching a Medical Student in Performing Unexpected Difficult Intubation Amid the COVID-19 Pandemic | Prof. James Tse (New Brunswick, United States) |
| 7681 | A Novel Combined Nasal Mask-Face Tent Maintained Spontaneous CPAP Ventilation/Oxygenation and Reduced Aerosol/Droplet Spread in a Frail Elderly Patient with OSA and Severe Cardiopulmonary Diseases during OGD under Sedation Amid the COVID-19 Pandemic | Prof. James Tse (New Brunswick, United States) |